

Honey gate	CTN:66*32*31cm 250PCS/CTN	NW:22kg GW:22.5kg	Thread outer diameter :44mm (For honey extractor hole) Material:ABS	Honey gate(Orange)	K01O
	CTN:66*32*31cm 250PCS/CTN	NW:22kg GW:22.5kg	Thread outer diameter :44mm (For honey extractor hole) Material:ABS	Honey gate(White)	K01W
	CTN:66*32*31cm 250PCS/CTN	NW:22kg GW:22.5kg	Thread outer diameter :44mm (For honey extractor hole) Material:ABS	Honey gate (PP)	K01-PP
	CTN:66*32*31cm 250PCS/CTN	NW:22kg GW:22.5kg	Thread outer diameter :44mm (For honey extractor hole) Material:ABS	Honey gate(Yellow)	K01Y
	CTN:66*32*31cm 250PCS/CTN	NW:22kg GW:22.5kg	Thread outer diameter :44mm (For honey extractor hole) Material:ABS	Honey gate(Green)	K01G
	CTN:66*32*31cm 250PCS/CTN	NW:22kg GW:22.5kg	Thread outer diameter :44mm (For honey extractor hole) Material:ABS	Honey gate(Red)	K01R

CTN:66*32*31cm	200PCS/CTN	NW:19.5 kg	GW:20kg
Thread outer diameter :44mm (For honey extractor hole)	Material:ABS	Honey gate(Yellow)	K02Y
CTN:66*32*31cm	200PCS/CTN	NW:19.5 kg	GW:20kg
Thread outer diameter :44mm (For honey extractor hole)	Material:ABS	Honey gate(Orange)	K03O
CTN:66*32*31cm	200PCS/CTN	NW:19.5 kg	GW:20kg
Thread outer diameter :48mm (For honey extractor hole)	Material:ABS	Honey gate(White)	K03W

■ 系列1













Shenzhen Benefitbee Bee Industry Co.,Ltd.



www.benefitbee.net Tel: +86 755 89697771 Fax: +86 755 89697772
Address: 5/F, Bld.6, Liantang IZ., Danzhotou, Shenzhen, China


Quotation Sheet (JULY/2017)

Item No.	Commodity	Picture	Product description	Packing	MOQ	price
New Arrivals						
PNH01	New design smoker (Size-L)		Size:30CM*Φ10CM Material:SUS201 Collector box:PVC	CTN:72*59*47.c m 20PCS/CTN NW:24kg GW:25kg	50	7.59
PNH02	New design smoker (Size-L)		Size:32CM*Φ10CM Material:SUS201 Collector box:Micro leather	CTN:72*59*47.c m 20PCS/CTN NW:23kg GW:24kg	50	6.90
PN01	New design bee smoker (Size-M)		Size:26CM*Φ10CM Material:SUS201 Collector box:PVC	CTN:72*59*47.c m 20PCS/CTN NW:20.5kg GW:21.5kg	50	7.25
PN02	New design bee smoker (Size-M)		Size:29CM*Φ10CM Material:SUS201 Collector box:Micro leather	CTN:72*59*47.c m 20PCS/CTN NW:20.5kg GW:21.5kg	50	6.33
MD12	Dual function knife (Solid wood handle)		Length:270mm Weight:140g Surface Treatment:mirror splishing Material:2CR13 & Solid wood handle Use:Uncapping &scraper	CTN:49*30*12cm 100PCS/CTN NW:13.5kg GW:14g	50	2.53
MD13	Dual function knife (Solid wood handle)		Length:303mm Weight:160g Surface Treatment:mirror splishing Material:2CR13 &Solid wood handle Use:Uncapping &scraper	CTN:36*34*26cm 200PCS/CTN NW:26kg GW:26.5g	50	2.30
MQ17R	Multifunction hive tool (Solid wood handle)		Length:267mm Weight:320g Surface Treatment:mirror splishing Material:2CR13 &Solid wood	CTN:40*30*13cm 40PCS/CTN NW:13kg GW:13.5g	1000	4.37
MQ22	Hive tool		Length:245mm Weight:144g Surface Treatment:mirror splishing Material:2CR13	CTN:31*31*12cm 200PCS/CTN NW:28.5kg GW:29kg	50	1.50
MQ23	Hive tool		Length:310mm Weight:120g Surface Treatment:mirror splishing Material:2CR13	CTN:31*31*12cm 100PCS/CTN NW:12kg GW:12.5kg	50	1.50
MQ24	Hive tool		Length:270mm Weight:80g Surface Treatment:mirror splishing Material:2CR13 Use:Uncapping &scraper	CTN:31*31*12cm 200PCS/CTN NW:16kg GW:17kg	50	1.50
Q17	Multifunction hive tool		Length:267mm Weight:300g Surface Treatment:Sanding Material:2CR13	CTN:47*43*39cm 36PCS/CTN NW:13.5kg GW:14g	50	3.80

D07E	Clip electric uncapping knife		Length:440mm Thickness:7.0mm Weight:470g Blade:250mm*50mm Handel:145mm*30mm*40mm Material:SUS304&Beech , Wire length:1.5M (Length can be customized) Max temperature:150~190 °C Surface Treatment:Mirror polish and Sanding Voltage:12V Power:300W	CTN:48*38*36cm 25PCS/CTN NW:13kg GW:14kg	50	15.87
D07T	Electric uncapping knife with thermo regulator		Length:440mm Thickness:7.0mm Weight:470g Blade:250mm*50mm Handel:145mm*30mm*40mm Material:SUS304&Beech,Wire length:1.5M (Length can be customized) Max temperature:150~190 °C Surface Treatment:Mirror polish and Sanding Plugs:European,American,Australian (Other specs can be customized) Voltage:110&220V Optional Power:300W	CTN:48*38*36cm 25PCS/CTN NW:16kg GW:17kg	50	20.13
J17-9	European Style frame grip with shovel		Material:SUS201	CTN:39*35*27cm 80PCS/CTN NW:24kg GW:25.5kg	50	3.45
C09	Rubber handle uncapping fork		Needle material:2CR13 Handle material:Rubber	CTN:45*45*55cm 100PCS/CTN NW:12kg GW:13 kg	50	2.53
J13-2	Bee frame tensioner		Material:SUS304&Iron wheel	CTN:37*28*26cm 120PCS/CTN NW:17.5kg GW:18kg	50	2.42
Hive tool						
Q01D	Hive tool		Length:240mm Weight:150g Widest Point:40mm Surface Treatment:Sanding Material:2CR13	CTN:31.5*13*13cm 120PCS/CTN NW:17.2kg GW:17.5kg	50	1.04
Q01C	Hive tool		Length:260mm Weight:164g Widest Point:40mm Surface Treatment:Sanding Material:2CR13 Thickness:2.8mm	CTN:33*14*13cm 120PCS/CTN NW:21.7kg GW:22kg	50	1.15
Q02DB	Hive tool		Length:240mm Weight:155g Widest Point:40mm Surface Treatment:Sanding and high temperature paint Material:2CR13 Thickness:2.5mm	CTN:31.5*13*13cm 140PCS/CTN NW:17.7kg GW:18kg	50	1.04
Q02DH	Hive tool		Length:240mm Weight:160g Widest Point:40mm Surface Treatment:Sanding and high temperature paint Material:2CR13 Thickness:2.8mm	CTN:33*14*13cm 120PCS/CTN NW:17.2kg GW:17.5kg	50	1.15
Q02CH	Hive tool		Length:260mm Weight:170g Widest Point:40mm Surface Treatment:Sanding and high temperature paint Material:2CR13	CTN:33*14*13cm 120PCS/CTN NW:21.7kg GW:22kg	50	1.27
Q03D	Hive tool		Length:240mm Weight:160g Widest Point:40mm Surface Treatment:Sanding and high temperature paint Material:2CR13 Thickness:2.8mm	CTN:31.5*13*13cm 120PCS/CTN NW:17.2kg GW:17.5kg	50	1.27
Q03C	Hive tool		Length:260mm Weight:170g Widest Point:40mm Surface Treatment:Sanding and high temperature paint Material:2CR13 Thickness:2.8mm	CTN:33*14*13cm 120PCS/CTN NW:21.7kg GW:22kg	50	1.38

Q04W	Wooden handle hive tool		Length:200mm Widest Point:47mm Thickness:2.0mm Handle:105mm*25mm*15mm Surface Treatment:Sanding Material:2CR13 Weight:108g	CTN:36*22.5*31cm 200PCS/CTN NW:22kg GW:22.5kg	50	1.15
Q04P	Plastic handle hive tool		Length:200mm Widest Point:47mm Thickness:2.0mm Handle:105mm*25mm*15mm Surface Treatment:Sanding Material:2CR13 Weight:108g	CTN:36*22.5*31cm 200PCS/CTN NW:21kg GW:21.5kg	50	1.15
Q05B	Hive tool		Length:285mm Weight:125g Shovel:35mm Surface Treatment:Sanding Material:2CR13 Thickness:2.8mm	CTN:31.5*13*13cm 160PCS/CTN NW:20.7kg GW:21kg	50	1.04
Q05H	Hive tool		Length:285mm Weight:182g Shovel:35mm Surface Treatment:Sanding Material:2CR13 Thickness:3.8mm	CTN:31.5*13*13cm 120PCS/CTN NW:21.7kg GW:22kg	50	1.15
Q05QQ	Hive tool		Length:285mm Weight:140g Shovel:35mm Surface Treatment:High temperature paint Material:2CR13 Thickness:2.8mm	CTN:31.5*13*13cm 160PCS/CTN NW:20.7kg GW:21kg	50	1.38
Q05DX	Hive tool		Length:285mm Shovel:35mm Surface Treatment:Zincing Material:A3 steel Thickness:2.8mm	CTN:31.5*13*13cm 160PCS/CTN NW:20.7kg GW:21kg	50	0.92
Q06B	Hive tool		Length:270mm Weight:130g Shovel:45mm Surface Treatment:Sanding and high temperature paint Material:2CR13 Thickness:2.5mm	CTN:29.5*16*13cm 160PCS/CTN NW:21kg GW:21.3kg	50	1.15
Q06H	Hive tool		Length:270mm Weight:140g Shovel:45mm Surface Treatment:Sanding and high temperature paint Material:2CR13 Thickness:2.8mm	CTN:29.5*16*13cm 140PCS/CTN NW:20.7kg GW:21kg	50	1.27
Q07	Hive tool		Length:260mm Weight:204g Widest Point:85mm Surface Treatment:Sanding Material:2CR13 Thickness:2.8mm	CTN:33*14*13cm 80PCS/CTN NW:14.8 kg GW:15kg	50	1.61
Q08	Hive tool		Length:210mm Weight:148g Widest Point:75mm Surface Treatment:Sanding Material:2CR13 Thickness:3.0mm	CTN:33*14*13cm 80PCS/ CTN NW:12 kg GW:12.2 kg	50	1.38
Q09	Hive tool		Length:240mm Weight:140g Shovel:30mm Surface Treatment:High temperature paint Material:2CR13 Thickness:3.0mm	CTN:25.5*17.5*10.5cm 150PCS/CTN NW:19.7kg GW:20kg	50	1.38
Q10	Hive tool		Length:255mm Weight:183g Surface Treatment:Sanding Material:2CR13 Thickness:3.0mm	CTN:39*28*21cm 120PCS/CTN NW:20.5kg GW:21kg	50	1.84
Q11	Three functions hive tool		Length:230mm Thickness:23mm Width:35mm Weight:300g Material:Cast iron	CTN:21*42*26cm 30PCS/CTN NW:9kg GW:9.5kg	50	1.50
Q11-2	Three functions hive tool		Length:230mm Thickness:23mm Width:35mm Weight:400g Material:Precision casting	CTN:21*42*26cm 30PCS/CTN NW:12kg GW:12.5kg	50	3.45

Q12	Hive tool		Length:228mm Widest Point:42mm Surface Treatment:Sanding Material:2CR13 Thickness:2.5mm	CTN:31.5*13*13cm 140PCS/CTN NW:17.8kg GW:18 kg	50	1.27
Q13	Hive tool		Length:188mm Widest Point:27mm Surface Treatment:Sanding Material:2CR13 Thickness:3mm	CTN:25*23*14cm 320PCS/CTN NW:22.8kg GW:23kg	50	1.15
Q14	Hive tool		Length:227.5mm Shovel:43.66mm Surface Treatment:High temperature paint Material:2CR13 Thickness:4.33mm	CTN:25.5*17.5*10.5cm 80PCS/CTN NW:16.2kg GW:16.4kg	50	1.38
Q15	Hive tool (Small)		Length:157mm Weight:80g Surface Treatment:Sanding Material:2CR13	CTN:33*14*13.5cm 320PCS/CTN NW:22.6kg GW:22.8kg	50	0.92
Q16	Hive tool (Extra long)		Length:388mm Weight:220g Surface Treatment:Sanding Material:2CR13	CTN:41*20*10cm 80PCS/CTN NW:17.4 kg GW:17.6kg	50	1.84
Q18	Hive tool		Length:285mm Weight:164g Widest Point:40mm Surface Treatment:Sanding Material:2CR13 Thickness:2.8mm	CTN:34*14*13cm 100PCS/CTN NW:14.5kg GW:14.7kg	50	1.61
Q19	Wooden hive tool		Length:190mm Weight:30g Surface Treatment:Sanding Material:2CR13 & Wooden handle	CTN:34*14*13cm 100PCS/CTN NW:14.5kg GW:15kg	50	1.27
Q22	Hive tool		Length:202mm Weight:120g Surface Treatment:Sanding Material:2CR13 & Wooden handle	CTN:34*14*13cm 100PCS/CTN NW:12kg GW:12.5kg	50	1.38
Uncapping knife						
D01-15	Dual-use uncapping knife (Thickness:1.5mm)		Length:300mm Weight:95-105g Blade :140mm*29mm Handle:125mm Surface Treatment:Mirror polish Material:2CR13	CTN:33*27*24cm 160PCS/CTN NW:17kg GW:17.5kg	50	1.15
D02CH	Uncapping knife Thickness:1.8mm) sawtooth		Length:395mm Weight:150g Blade:285mm*35mm Handle:105mm*22mm*15mm Surface Treatment:Sanding Material:2CR13	CTN:43*25*19.5cm 120PCS/CTN NW:18.5kg GW:19kg	50	1.27
D02DH	Uncapping knife Thickness:1.8mm) sawtooth		Length:345mm Weight:128g Blade :230mm*35mm Handle:105mm*22mm*15mm Surface Treatment:Sanding Material:2CR13	CTN:43*25*19.5cm 120PCS/CTN NW:18.5kg GW:19kg	50	1.15
D03CH	Uncapping knife (Thickness:1.8mm)		Length:395mm Blade:285mm*35mm Handle:105mm*22mm*15mm Surface Treatment:Sanding Material:2CR13	CTN:43*25*19.5cm 120PCS/CTN NW:18.5kg GW:19kg	50	1.27
D03DH	Uncapping knife (Thickness:1.8mm)		Length:345mm Weight:135g Blade :230mm*35mm Handle:105mm*22mm*15mm Surface Treatment:Sanding Material:2CR13	CTN:43*25*19.5cm 120PCS/CTN NW:18.5kg GW:19kg	50	1.15
D03CH-P	Plastic handle uncapping knife (Thickness:1.8mm)		Length:395mm Blade:285mm*35mm Handle:105mm*22mm*15mm Surface Treatment:Sanding Material:2CR13	CTN:43*25*19.5cm 120PCS/CTN NW:18.5kg GW:19kg	50	1.38






D04-18	Uncapping knife (Thickness:1.8mm) one side serrated		Length:420mm Weight:190-210g Blade:280mm*45mm Handle:125mm*30mm*18mm Surface Treatment:Sanding Material:2CR13	CTN:45*28.5*26cm 80PCS/CTN NW:19kg GW:20kg	50	1.73
D05P	Uncapping knife		Length:395mm Weight:126g Blade:280mm*35mm Handle:115mm Surface Treatment:Mirror polish Material:2CR13 Thickness:1.2mm	CTN:42*29*37cm 180PCS/CTN NW:19kg GW:20kg	50	0.58
D05W	Uncapping knife		Length:415mm Weight:107g Blade:300mm*37mm Handle:115mm Surface Treatment:Mirror polish Material:2CR13 Thickness:1.0mm	CTN:44*29*33.5cm 180PCS/CTN NW:19kg GW:20kg	50	0.58
D06	Uncapping knife		Length:335mm Blade:225mm*30mm Handle:100mm*20mm Surface Treatment:Mirror polish Material:2CR13 Thickness:0.6mm	250PCS/CTN	50	0.58
D07	Electric uncapping knife (Any plug)		Length:440mm Thickness:7.0mm Weight:470g Blade:250mm*50mm Handle:145mm*30mm*40mm Material:SUS304&Beech , Wire length:1.5M (Length can be customized) Max temperature:150~190 °C Surface Treatment:Mirror polish and Sanding Plugs:European,American,Australian (Other specs can be customized) Voltage:110-220V Power:300W	CTN:48*38*36cm 25PCS/CTN NW:13kg GW:14kg	50	10.35
D08	Uncapping knife		Thickness:1.2mm Surface Treatment:Mirror polish. Material:SUS2CR13&ABS	200PCS/CTN	50	1.73
D10	Dual purpose uncapping knife		Length:40mm Weight:120g Surface Treatment:Sanding Material:2CR13	CTN:45*28.5*26cm 200PCS/CTN NW:24kg GW:25kg	50	2.07
D11	Three purpose uncapping knife		Length:46mm Weight:200g Surface Treatment:Sanding Material:2CR13	CTN:49*20*28cm 80PCS/CTN NW:16 kg GW:16.5 kg	50	2.30
Honey Extractor						
Y02S	2 frames plastic manual honey extractor		Material: Plastic Measure of frame rack:420mm*260mm	Packing size 43*43*70cm 1 PCS/CTN	5	57.50
Y02-T	2 frames full transparent manual honey extractor		Material: Acrylic Measure of frame rack:420mm*260mm	Packing size 41*41*94cm 1 PCS/CTN	5	189.75
Y03-T	3 frames full transparent manual honey extractor		Material: Acrylic Measure of frame rack:420mm*260mm	Packing size 41*41*94cm 1 PCS/CTN	5	195.50
Y02-F	2 frames manual self reversal honey extractor		Material: SUS201 with legs and plastic honey gate Measure of frame rack:420mm*260mm	Net weight: 25 kg Packing dimension : 52*52*78cm Packing: Paper carton and foam	5	155.25
Y03-F	3 frames manual self reversal honey extractor		Material: SUS201 with legs and plastic honey gate Measure of frame rack:420mm*260mm	Net weight: 27kg Packing dimension : 52*52*78cm Packing: Paper carton and foam	5	172.50

Y04-F	4 frames manual self reversal honey extractor		Material: SUS201 with legs and plastic honey gate Measure of frame rack:420mm*260mm	Net weight: 29 kg Packing dimension : 52*52*78cm Packing: Paper carton and foam	5	189.75
Y02	2 Frames manual honey extractor		Material: SUS201 with legs and plastic honey gate Measure of frame rack:420mm*260mm	Packing size 42*42*79cm 1 PCS/CTN	5	79.35
Y02D	2 Frames electric honey extractor		Power supply:220V(110V customized on-demand) Motor:140watts Material: SUS201 Weight:18kg Measure of frame rack:420mm*260mm	Packing size:47*47*92cm 1PCS/CTN	5	138.00
Y03	3 Frames manual honey extractor		Material: SUS201 with legs and plastic honey gate Measure of frame rack:420mm*260mm	Packing size 41*41*94 1PCS/CTN	5	103.50
Y03D	3 frames electric honey extractor		Power supply:220V Motor:140watts Material: SUS201 Weight:19kg Speed control,,singel-phase Measure of frame rack:420mm*260mm	Packing size:47*47*92cm 1PCS/CTN	5	212.75
Y04	4 frames manual honey extractor		Material: SUS201 with legs and plastic honey gate Measure of frame rack:420mm*260mm	Packing size: 52*52*78cm 1PCS/CTN	5	128.80
Y04D	4 frames electric honey extractor		Power supply:220V(110V customized on-demand) Motor:140watts Material: SUS201 Weight:29kg Speed control,,singel-phase Measure of frame rack:420mm*260mm	Packing size: 53*53*91cm 1PCS/CTN	5	259.90
Y04D-1	4 frames electric honey extractor with CE certification		Material: food grade 201 stainless steel, Barrel height: 60 cm,Barrel diameter: 40 cm Size of inner frame: 42*26cm Accessories: one honey gates with	Packing size: 53*53*91cm 1PCS/CTN	5	304.75
Y06	6 frames manual honey extractor		Material: SUS201 with legs and plastic honey gate Measure of frame rack:420mm*260mm	Packing size:72*72*85cm 1PCS/CTN	5	241.50
Y06D	6 frames electric honey extractor		Power supply:220V(110V customized on-demand) Motor:250watts Material: SUS201 Weight:34kg Speed control,,singel-phase Measure of frame rack:420mm*260mm	Packing size: 75*75*107cm 1PCS/CTN	5	373.75
Y08	8 frames manual honey extractor		Material:SUS201 with legs and plastic honey gate Measure of frame rack:420mm*260mm	Packing size: 72*72*85cm 1PCS/CTN	5	287.50
Y08D	8 frames electric honey extractor		Power supply:220V(110V customized on-demand) Motor:250watts Material: SUS201 Weight:39.5kg Speed control,,singel-phase Measure of frame rack:420mm*260mm	Packing size:75*75*107cm 1PCS/CTN	5	408.25
Y12D	12 frames electric honey extractor		Power supply:220V(110V customized on-demand) Motor:550watts Material: SUS201 Weight:55.5kg Speed control,Frequency Converters,three -phase Measure of frame rack:420mm*260mm	Packing size:81*81*107cm 1PCS/CTN	5	665.85















Y20D	20 frames electric honey extractor		Power supply:220V(110V customized on-demand) Motor:550watts Material: SUS201 Weight:68.5kg Speed control,Frequency Converters,three-phase Measure of frame rack:420mm*260mm	Packing size:95*95*110cm 1PCS/CTN	5	918.85
Y24D	24 frames electric honey extractor		Power supply:220V(110V customized on-demand) Motor:550watts Material: SUS201 Weight:80kg Speed control,Frequency Converters,three-phase Measure of frame rack:420mm*260mm	Packing size:104*104*114 cm 1PCS/CTN	5	953.35
Honey tank						
HB025-A	25kg honey tank with flat cover(Plastic honey gate)		Material:SUS201 Honey volume:20L Bucket body thickness:0.8MM Diameter:30cm Height:30cm Processing technology:Seamless welding &polishing	1pcs/carton Size: 46*46*37cm GW:5.6kg	5	21.85
HB025-B	25kg honey tank with hot insulation cover(Plastic honey gate)		Material:SUS201 Honey volume:20L Bucket body thickness:0.8MM Diameter:30cm Height:30cm Processing technology:Seamless welding &polishing	1pcs/carton Size: 46*46*37cm GW: 6kg	5	27.60
HB050-A	50kg honey tank with flat cover(Plastic honey gate)		Material:SUS201 Honey volume:38L Bucket body thickness:0.8MM Diameter:35cm Height:40cm Processing technology:Seamless welding &polishing	1pcs/carton Size: 48*48*45cm GW: 7.6kg	5	25.30
HB050-B	50kg honey tank with hot insulation cover(Plastic honey gate)		Material:SUS201 Honey volume:38L Bucket body thickness: 0.8MM Diameter:35cm Height:40cm Processing technology:Seamless welding &polishing	1pcs/carton Size:48*48*45cm GW: 8.4kg	5	33.35
HB075-A	75kg honey tank with flat cover(Plastic honey gate)		Material:SUS201 Honey volume:56L Bucket body thickness:0.8MM Diameter:40cm Height:45cm Processing technology:Seamless welding &polishing	1pcs/carton Size:56**56*50cm GW: 10.5kg	5	28.75
HB075-B	75kg honey tank with hot insulation cover(Plastic honey gate)		Material:SUS201 Honey volume:56L Bucket body thickness:0.8MM Diameter:40cm Height:45cm Processing technology:Seamless welding &polishing	1pcs/carton Size:56**56*50cm GW: 10.5kg	5	39.10
HB100-A	100kg honey tank with flat cover(Plastic honey gate)		Material:SUS201 Honey volume: 78L Bucket body thickness:0.8MM Diameter:45cm Height:50cm Processing technology:Seamless welding &polishing	1pcs/carton Size:54*56*60cm GW: 12kg	5	34.50
HB150-A	150kg honey tank with flat cover(Plastic honey gate)		Material:SUS201 Honey volume:114L Bucket body thickness:0.8MM Diameter:50cm Height:58cm Processing technology:Seamless welding &polishing	1pcs/carton Size: 54*56*75cm GW: 13.5kg	5	40.25
HB200-A	200kg honey tank with flat cover(Plastic honey gate)		Material:SUS201 Honey volume: 154L Bucket body thickness:0.8MM Diameter:60cm Height:55cm Processing technology:Seamless welding &polishing	1pcs/carton Size: 58*58*80cm GW: 16kg	5	49.45
Wax foundation machine						


CCJ01	Fully automatic beeswax machine		Roller size: 170*750mm (Stock size 350mm) Power supply:380V/220V Powder:3kw Speed:3/min Roller diameter: 200mm Cooling mode:water cooling Output capacity: 50-60kg/hour Machine dimension: 260*95*140cm	Packing Size :295cm* 115cm* 165cm GW: 650kg/Carton	1	26220.00
CCJ02-1	Manual beeswax embossing machine		Material: aluminum alloy Cell size: 5.4mm or 4.9mm Roller length: 195mm Cylinder diameter: 86mm	Packing size:63*33*33cm GW: 42kg/Carton	5	561.20
CCJ02-1D	Electrical beeswax embossing machine		Material: aluminum alloy Cell size: 5.4mm or 4.9mm Roller length: 195mm Cylinder diameter: 86mm Power supply :220V Power(kw):0.75kw	Packing size:92.5*59.5*63 cm GW: 117kg/Carton	5	940.70
CCJ02-2	Manual beeswax embossing machine		Material: aluminum alloy Cell size:5.4mm or 4.9mm Roller length: 250mm Cylinder diameter: 86mm	Packing size:63*33*33cm GW: 42kg/Carton	5	618.70
CCJ02-2D	Electrical beeswax embossing machine		Material: aluminum alloy Cell size:5.4mm or 4.9mm Roller length: 250mm Cylinder diameter: 86mm Powersupply:220V Power(kw):0.75kw	Packing size:92.5*59.5*63 cm GW: 117kg/Carton	5	998.20
CCJ03-1	Manual beeswax embossing machine(parallel)		Material: aluminum alloy Cell size:5.4mm or 4.9mm Roller length: 310mm Cylinder diameter: 86mm	1pc/plywood box 30kg/box	5	871.70
CCJ03-2	Manual beeswax embossing machine(parallel)		Material: aluminum alloy Cell size:5.4mm or 4.9mm Roller length: 350mm Cylinder diameter: 86mm	1pc/plywood box 35kg/box	5	963.70
CCJ03-3	Manual beeswax embossing machine(parallel)		Material: aluminum alloy Cell size:5.4mm or 4.9mm Roller length: 500mm Cylinder diameter: 86mm	1pc/plywood box 40kg/box	5	1055.70
CCJ03-4	Manual beeswax embossing machine(parallel)		Material: aluminum alloy Cell size:5.4mm or 4.9mm Roller length: 350mm Cylinder diameter: 170mm	1pc/plywood box 50kg/box	5	4370.00
CCJ03-5	Manual beeswax embossing machine(parallel)		Material: aluminum alloy Cell size:5.4mm or 4.9mm Roller length: 750mm Cylinder diameter: 170mm	1pc/plywood box 60kg/box	5	6670.00
CCJ02-3	Manual beeswax embossing machine		Material: aluminum alloy Cell size: 5.4mm or 4.9mm Roller length: 310mm Cylinder diameter: 86mm	Packing size:63*33*33cm GW: 42kg/Carton	5	653.20
CCJ02-3D	Electrical beeswax embossing machine		Material: aluminum alloy Cell size:5.4mm or 4.9mm Roller length: 310mm Cylinder diameter: 86mm Power supply :220V Power(kw):0.75kw	Packing size:92.5*59.5*63 cm GW: 117kg/Carton	5	1055.70
CCJ02-4	Manual beeswax embossing machine		Material: aluminum alloy Cell size: 5.4mm or 4.9mm Roller length: 450mm Cylinder diameter: 86mm	Packing size:63*33*33cm GW: 42kg/Carton	5	906.20
CCJ02-4D	Electrical beeswax embossing machine		Material: aluminum alloy Cell size:5.4mm or 4.9mm Roller length: 450mm Cylinder diameter: 86mm Power supply :220V Power(kw):0.75kw	Packing size:92.5*59.5*63 cm GW:117kg/Carton	5	1132.75















CCJ04	Beeswax embossing machine		Material: aluminium alloy Cell size: 4.9mm for Apis Cerana or 5.4mm for Apis Mellifera Size: 420*220mm	Packing size:55*30*13cm GW:23kg/Carton	5	227.70
YGJ01	Manual beeswax flat sheet machine		Material: stainless steel Roller length: 310mm Cylinder diameter: 75mm	Packing size:63*33*33cm GW: 42kg/Carton	5	285.20
YGJ01D	Electrical beeswax flat sheet machine		Material: stainless steel Roller length:310mm Cylinder diameter: 75mm Power supply:220V Power(kw):0.75kw Speed:40/min	Packing size:92.5*59.5*63 cm GW: 117kg/Carton	5	641.70
YGJ02	Manual beeswax flat sheet machine		Material: stainless steel Roller length: 350mm Cylinder diameter: 75mm	Packing size:63*33*33cm GW: 42kg/Carton	5	411.70
YGJ02D	Electrical beeswax flat sheet machine		Material: stainless steel Roller length:350mm Cylinder diameter: 75mm Power supply:220V Power(kw):0.75kw Speed:40/min	Packing size:92.5*59.5*63 cm GW: 117kg/Carton	5	710.70
YGJ03	Manual beeswax flat sheet machine		Material: stainless steel Roller length: 500mm Cylinder diameter: 75mm	Packing size:63*33*33cm GW: 42kg/Carton	5	531.30
YGJ03D	Electrical beeswax flat sheet machine		Material: stainless steel Roller length:500mm Cylinder diameter: 75mm Power supply :220V Power(kw):0.75kw Speed:40/min	Packing size:92.5*59.5*63 cm GW: 117kg/Carton	5	848.70
Wax press						
ZS01	Stainless steel wax press		Material :SUS201 Diameter of wax press:26.5cm Height of wax press: 49cm	Packing size: 56*44*34cm Weight:12kg/cart on	10	57.50
ZS01-2	Stainless steel wax press with splash collar		Material :SUS201 Diameter of wax press:26.5cm Height of wax press: 49cm	Packing size: 56*44*34cm Weight:13.5kg/ca rton	10	62.10
ZS02	Stainless steel wax press		Material :SUS201 Diameter of wax press:26.5cm Height of wax press: 49cm	Packing size: 56*44*34cm Weight:12kg/cart on	10	57.50
ZS02-2	Stainless steel wax press with splash collar		Material :SUS201 Diameter of wax press:26.5cm Height of wax press: 49cm	Packing size: 56*44*34cm Weight:13.5kg/ca rton	10	62.10
ZS03	Stainless steel wax press(Jack)		Material :SUS201 Diameter of wax press:26.5cm Height of wax press: 49cm	Packing size: 56*44*34cm Weight:12kg/cart on	10	58.65
ZS03-2	Stainless steel wax press with splash collar (Jack)		Material :SUS201 Diameter of wax press:26.5cm Height of wax press: 49cm	Packing size: 56*44*34cm Weight:13.5kg/ca rton	10	63.25
ZT01	Iron wax press		Material :Iron Diameter of wax press:26.5cm Height of wax press: 49cm	Packing size: 56*44*34cm Weight:9.5kg/cart on	10	19.55
















ZT01-2	Iron wax press with splash collar		Material :Iron Diameter of wax press:26.5cm Height of wax press: 49cm	Packing size: 56*44*34cm Weight:12kg/cart on	10	21.85
ZT01-B	Iron wax press		Material :Iron Diameter of wax press:26.5cm Height of wax press: 49cm	Packing size: 56*44*34cm Weight:9.5kg/cart on	10	19.55
ZT01-B2	Iron wax press with splash collar		Material :Iron Diameter of wax press:26.5cm Height of wax press: 49cm	Packing size: 56*44*34cm Weight:12kg/cart on	10	21.85
ZT02	Iron wax press		Material :Iron Diameter of wax press:26.5cm Height of wax press: 49cm	Packing size: 56*44*34cm Weight:9.5kg/cart on	10	19.55
ZT02-2	Iron wax press with splash collar		Material :Iron Diameter of wax press:26.5cm Height of wax press: 49cm	Packing size: 56*44*34cm Weight:12kg/cart on	10	21.85
ZT03	Iron wax press (Jack)		Material :Iron Diameter of wax press:26.5cm Height of wax press: 49cm	Packing size: 56*44*34cm Weight:9.5kg/cart on	10	29.90
ZT03-2	Iron wax press with splash collar(Jack)		Material :Iron Diameter of wax press:26.5cm Height of wax press: 49cm	Packing size: 56*44*34cm Weight:12kg/cart on	10	32.20
ZT04	Stainless steel wax press		Material :SUS201 Diameter of wax press:26.5cm Height of wax press: 57cm	Packing size: 56*44*34cm Weight:13kg/cart on	10	101.20
Uncapping fork						
C01ZY	18 straight needles uncapping fork		Colour: Yellow Needle material:SUS304 Handle material:Plastic	CTN:45*45*55cm 500PCS/CTN NW:19kg GW:20 kg	50	0.81
C01WY	18 bend needles uncapping fork		Colour: Yellow Needle material:SUS304 Handle material:Plastic	CTN:45*45*55cm 500PCS/CTN NW:19kg GW:20 kg	50	0.81
C01ZR	18 straight needles uncapping fork		Colour:Red Needle material:SUS304 Handle material:Plastic	CTN:45*45*55cm 500PCS/CTN NW:19kg GW:20 kg	50	0.81
C02ZR	21 straight needles uncapping fork		Colour:Red Needle material:SUS304 Handle material:Plastic	CTN:45*45*55cm 500PCS/CTN NW:22.5kg GW:23 kg	50	0.86
C02WR	21 bend needles uncapping fork		Colour:Red Needle material:SUS304 Handle material:Plastic	CTN:45*45*55cm 500PCS/CTN NW:22.5kg GW:23 kg	50	0.86
C03Z	Uncapping fork		Handle material:Aluminum&wooden Needle thick:1.6mm	CTN:34*34*23cm 100PCS/CTN NW:7kg GW:7.5kg	50	1.70















C04	Idler wheel uncapping fork		Needle material:SUS201	CTN:49*34*46CM 72PCS/CTN NW:18kg GW:18.3kg	50	2.28
C05	Plastic wheel uncapping fork		Weight:220g Material:PP	CTN:60*38*38cm 178PCS/CTN NW:27kg GW:28kg	50	2.30
C06	20 needles uncapping fork		Colour:Yellow Needle material:SUS304 Handle material:Plastic	CTN:40*34*33cm 200PCS/CTN NW:10kg GW:11kg	50	0.92
C07	21 straight needles uncapping fork		Colour:Red Needle material:SUS304 Handle material:Plastic	CTN:40*34*33cm 200PCS/CTN NW:17.5kg GW:19kg	50	1.04
C08	21 straight needles uncapping fork (Rake Style)		Colour:Yellow Needle material:SUS304 Handle material:Plastic	CTN:45*45*55cm 500PCS/CTN NW:22.5kg GW:23 kg	50	0.86
BJ12-1	Metal queen excluder edges rimmed) (2		Size:510mm*410mm Material:Galvanized iron Material thickness:1.9mm Distance:4.3mm (SUS304 material or other sizes can be made to order)	CTN:52*42*11cm 20PCS/CTN NW:19.5kg GW:20kg	50	2.88
BJ12-2	Metal queen excluder edges rimmed) (2		Size:435*420mm Material:Galvanized iron Material thickness:1.9mm Distance:4.3mm (SUS304 material or other sizes can be made to order)	CTN:45*45*11cm 20PCS/CTN NW:20.5kg GW:21kg	50	2.88
BJ12-3	Metal queen excluder edges rimmed) (2		Size:475*375mm Material:Galvanized iron Material thickness:1.9mm Distance:4.3mm (SUS304 material or other sizes can be made to order)	CTN:50*40*11cm 20PCS/CTN NW:20.5kg GW:21kg	50	2.88
BJ12-5	Metal queen excluder edges rimmed) (2		Size:386*260mm Material:Galvanized iron Material thickness:1.9mm Distance:4.3mm (SUS304 material or other sizes can be made to order)	CTN:40*27*11cm 20PCS/CTN NW:17kg GW:17.5kg	50	2.88
BJ12-6	Metal queen excluder edges rimmed) (2		Size:510*405mm Material:Galvanized iron Material thickness:1.9mm Distance:4.3mm (SUS304 material or other sizes can be made to order)	CTN:52*42*11cm 20PCS/CTN NW:19.5kg GW:20kg	50	2.88
BJ12-7	Metal queen excluder edges rimmed) (2		Size:540*440mm Material:Galvanized iron Material thickness:1.9mm Distance:4.3mm (SUS304 material or other sizes can be made to order)	CTN:52*42*11cm 20PCS/CTN NW:20.5kg GW:21kg	50	2.88
BJ12-9	Metal queen excluder edges rimmed) (2		Size:500*430mm Material:Galvanized iron Material thickness:1.9mm Distance:4.3mm (SUS304 material or other sizes can be made to order)	CTN:52*44*11cm 20PCS/CTN NW:20.5kg GW:21kg	50	2.88
BJ12-10	Metal queen excluder edges rimmed) (2		Size:500*500mm Material:Galvanized iron Material thickness:1.9mm Distance:4.3mm (SUS304 material or other sizes can be made to order)	CTN:52*52*11cm 20PCS/CTN NW:20.5kg GW:21kg	50	2.88
BJ12-11	Metal queen excluder edges rimmed) (2		Size:510*420mm Material:Galvanized iron Material thickness:1.9mm Distance:4.3mm (SUS304 material or other sizes can be made to order)	CTN:52*52*11cm 20PCS/CTN NW:20.5kg GW:21kg	50	2.88
















BJ12-12	Metal queen excluder edges rimmed)	(2) 	Size:500*350mm Material:Galvanized iron Material thickness:1.9mm Distance:4.3mm (SUS304 material or other sizes can be made to order)	CTN:52*36*11cm 20PCS/CTN NW:20.5kg GW:21kg	50	2.88
BJ12-13	Metal queen excluder edges rimmed)	(2) 	Size:510*350mm Material:Galvanized iron Material thickness:1.9mm Distance:4.3mm (SUS304 material or other sizes can be made to order.)	CTN:52*37*13cm 20PCS/CTN NW:20.5kg GW:21kg	50	2.88
BJ12-14	Metal queen excluder edges rimmed)	(2) 	Size:500mm*600mm Material:Galvanized iron Material thickness:1.9mm Distance:4.3mm (SUS304 material or other sizes can be made to order.)	CTN:62*52*11cm 20PCS/CTN NW:20.5kg GW:21kg	50	2.88
BJ12-15	Metal queen excluder edges rimmed)	(2) 	Size:504mm*412mm Material:Galvanized iron Material thickness:1.9mm Distance:4.3mm (SUS304 material or other sizes can be made to order)	CTN:52*42*11cm 20PCS/CTN NW:19.5kg GW:20kg	50	2.88
BL1-2	Aluminium queen excluder		Size:470mm*410mm Material:Aluminium Thickness:0.6mm Distance:4.25m (Other sizes are available upon request)	CTN:48*42*7cm 50PCS/CTN NW:10.5kg GW:11kg	50	2.91
BL1-3	Aluminium queen excluder		Size:460mm*460mm Material:Aluminium Thickness:0.6mm Distance:4.25m (Other sizes are available upon request)	CTN:47*47*7cm 50PCS/CTN NW:11.5kg GW:12kg	50	2.91
BL1-4	Aluminium queen excluder		Size:435mm*300mm Material:Aluminium Thickness:0.6mm Distance:4.25m (Other sizes are available upon request)	CTN:44*31*7cm 50PCS/CTN NW:8kg GW:8.5kg	50	2.12
BL1-5	Aluminium queen excluder		Size:357mm*218mm Material:Aluminium Thickness:0.6mm Distance:4.25m (Other sizes are available upon request)	CTN:37*23*7cm 50PCS/CTN NW:6kg GW:6.5kg	50	1.94
BL1-6	Aluminium queen excluder		Size:435mm*230mm Material:Aluminium Thickness:0.6mm Distance:4.25m (Other sizes are available upon request)	CTN:44*24*7cm 50PCS/CTN NW:7kg GW:7.5kg	50	2.12
BL1-7	Aluminium queen excluder		Size:510mm*410mm Material:Aluminium Thickness:0.6mm Distance:4.25m (Other sizes are available upon request)	CTN:52*42*7cm 50PCS/CTN NW:12kg GW:13kg	50	3.09
BP1-1W	Plastic queen excluder		Size:500*500mm Material:PP Color:White	CTN:51*51*31cm 100PCS/CTN NW:25kg GW:26kg	50	1.15
BP1-2W	Plastic queen excluder		Size:510*420mm Material:PP Color:White	CTN:53*43*31cm 100PCS/CTN NW:25kg GW:26kg	50	1.15
BP1-15W	Plastic queen excluder		Size:505*360mm Material:PP Color:White	CTN:53*40*31cm 100PCS/CTN NW:25kg GW:26kg	50	1.15
BP1-1Y	Plastic queen excluder		Size:510*500mm Material:PP Color:Yellow	CTN:52*370*32cm 100PCS/CTN NW:25kg GW:26kg	50	1.27

BP1-2Y	Plastic queen excluder		Size:510*420mm Material:PP Color:Yellow	CTN:53*40*31cm 100PCS/CTN NW:25kg GW:26kg	50	1.27
BP1-3Y	Plastic queen excluder		Size:506*353mm Material:PP Color:Yellow	CTN:52*370*32cm 100PCS/CTN NW:25kg GW:26kg	50	1.27
BP1-4Y	Plastic queen excluder		Size:506*406mm Material:PP Color:Yellow	CTN:52*44*32cm 100PCS/CTN NW:24kg GW:25kg	50	1.27
BP1-5Y	Plastic queen excluder		Size:435*435mm Material:PP Color:Yellow	CTN:45*45*32cm 100PCS/CTN NW:24kg GW:25kg	50	1.27
BP1-6Y	Plastic queen excluder		Size:500*425mm Material:PP Color:Yellow	CTN:51*44*32cm 100PCS/CTN NW:24kg GW:25kg	50	1.27
BP1-7Y	Plastic queen excluder		Size:510*425mm Material:PP Color:Yellow	CTN:52*44*32cm 100PCS/CTN NW:24kg GW:25kg	50	1.27
BP1-8Y	Plastic queen excluder		Size:485*400mm Material:PP Color:Yellow	CTN:50*41*32cm 100PCS/CTN NW:24kg GW:25kg	50	1.27
BP1-9Y	Plastic queen excluder		Size:510*410mm Material:PP Color:Yellow	CTN:52*42*32cm 100PCS/CTN NW:24kg GW:25kg	50	1.27
BP1-11Y	Plastic queen excluder		Size:460*460mm Material:PP Color:Yellow	CTN:48*48*32cm 100PCS/CTN NW:24kg GW:25kg	50	1.27
BP1-12Y	Plastic queen excluder		Size:470*410mm Material:PP Color:Yellow	CTN:48*42*32cm 100PCS/CTN NW:24kg GW:25kg	50	1.27
BP1-13Y	Plastic queen excluder		Size:500*450mm Material:PP Color:Yellow	CTN:51*46*32cm 100PCS/CTN NW:24kg GW:25kg	50	1.27
BP1-14Y	Plastic queen excluder		Size:510*360mm Material:PP Color:Yellow	CTN:52*370*32cm 100PCS/CTN NW:25kg GW:26kg	50	1.27
BP1-15Y	Plastic queen excluder		Size:505*360mm Material:PP Color:Yellow	CTN:52*370*32cm 100PCS/CTN NW:25kg GW:26kg	50	1.27
Metal beekeeping tools						
J01-1	Beehive shovel		Length:205mmShovel:105mm*80mm Thickness:1.8mm Handle:100mmSurface Treatment:Zincing	200PCS/CTN	50	0.67















J01-2	Beehive shovel		Length:200mm Shovel:105mm*80mm Handle:95mm*22mm Surface Treatment:Mirror polish Material:SUS304 Thickness:1.8mm	200PCS/CTN	50	0.69
J02-1	Beehive cargo lashing		Surface Treatment:galvanized Buckle width:33mm Buckle thickness:1.2mm Rope material:Polypropylene Rope length:5M Rope width:25mm	CTN:53*36*27cm 100PCS/CTN NW:25kg GW:26kg	50	1.04
J02-2	Beehive cargo lashing with hook		Surface Treatment:Galvanized Buckle width:33mm Buckle thickness:1.2mm Rope material:Polypropylene Rope length:5M Rope width:25mm	CTN:53*36*27cm 100PCS/CTN NW:25kg GW:26kg	50	1.38
J02-3	Metal beehive tie down strap		Material:Galvanized iron Length :5meters Weight:650g	CTN:32*20*13cm 24PCS/CTN NW:15.7kg GW:16kg	50	2.30
J02-33	Metal beehive tie down strap		Material:Galvanized iron Length :3 meters Weight:500g	CTN:32*20*13cm 24PCS/CTN NW:15.7kg GW:16kg	50	2.19
J03	Entrance robbing guarder		Length:410mm Material:Galvanized iron	CTN:47*37*23cm 100PCS/CTN NW:22.5kg GW:23kg	50	2.07
J04-1	Gear wire embedder		Length:145mm Weight:31g Material:Wooden&Galvanized iron	CTN:33*26*20cm 500pcs/carton NW:22.5kg GW:23kg	50	0.23
J04-2W	Wire embedder		Length:230mm Weight:62g Material:Wooden,Galvanized iron &Red copper	CTN:33*26*20cm 200PCS/CTN NW:12.5kg GW:13kg	50	0.81
J04-2P	Wire embedder		Length:230mm Weight:62g Material:Plastic&Galvanized iron &Red copper	CTN:33*26*20cm 200PCS/CTN NW:12.5kg GW:13kg	50	0.81
J04-3	Electric wire embedder		Rated power:30W Material:Copper	CTN:33*26*20cm 100PCS/CTN NW:9.5kg GW:10kg	50	1.15
J04-4	Electric wire embedder		Rated power:30W Material:Copper	CTN:33*26*20cm 100PCS/CTN NW:9.5kg GW:10kg	50	1.61
J04-5	Wire embedder		Material:Copper	CTN:33*26*20cm 200PCS/CTN NW:12.5kg GW:13kg	50	0.75
J04-6	Electric beeswax foundation embedder		Electric beeswax foundation embedder	CTN:45*28*20cm 1PCS/CTN NW:15kg GW:16kg	5	59.80
J04-7C	Electric wire embedder		Electric wire embedder	CTN:50*45*40cm 50PCS/CTN NW:12.5kg GW:13.5kg	20	13.80

J06	Beehive connector		Length:65mm Material:Galvanized iron Weight:88g	CTN:33*26*20cm 200PCS/CTN NW:18kg GW:18.8kg	50	0.40
J07-1	Beehive handle		Size:110mm*90mm Handle dia:5.6mm Material:Galvanized iron Weight:95g	CTN:43*21*27cm 200PCS/CTN NW:19kg GW:20kg	50	0.46
J07-2	Beehive handle		Size:110mm*90mm Handle dia:7mm Material:Galvanized iron Weight:95g	CTN:43*21*27cm 200PCS/CTN NW:19kg GW:20kg	50	0.46
J08-1	Double layer honey filter		Size:Φ240mm Mesh material:SUS304 Filter screen height:45mm Upper layer:26 mesh Under layer:36 mesh	CTN:52*52*27cm 10PCS/CTN NW:8.2kg GW:9kg	50	6.33
J08-2	Double layer honey filter		Size:Φ190mm Mesh material:SUS304 Filter screen height:45mm Upper layer:26 mesh Under layer:36 mesh	CTN:52*52*24cm 10PCS/CTN NW:7.2kg GW:8kg	50	6.10
J08-3	Double layer honey filter		Size:Φ240mm Mesh material:SUS304 Filter screen height:65mm Upper layer:26 mesh Under layer:36 mesh	CTN:52*52*27cm 10PCS/CTN NW:8.2kg GW:9kg	50	6.33
J08-4	Nylon honey filter		Size:Φ240mm*60mm Mesh material:Nylon Case material:Nylon Layer:26 mesh	CTN:51*51*40cm 20PCS/CTN NW:4kg GW:4.6kg	50	4.95
J09	Honey filter		Size:Φ225mm Material:SUS201	CTN:52*52*24cm 100PCS/CTN NW:7.2kg GW:kg	50	3.34
J09-2	Honey filter		Size:Φ225mm Material:SUS201	CTN:52*52*24cm 100PCS/CTN NW:7.2kg GW:18kg	50	1.82
J09-4	Honey filter		Size:Φ320mm Material:SUS201	CTN:52*52*24cm 50PCS/CTN NW:16kg GW:17kg	50	4.03
J11	Adjustable entrance		Material:Galvanized iron	CTN:26.7*17.2*18.5cm 300PCS/CTN NW:14kg GW:14.5kg	50	0.51
J12	Beehive entrance		Material:Iron plating Thickness:0.4mm	CTN:40*32.5*19cm 100PCS/CTN NW:13kg GW:13.5kg	50	0.60
J13	Bee frame tensioner		Material: Plastic &Zinc plated	CTN:47*35*21cm 200PCS/CTN NW:12kg GW:12.5kg	50	0.90
J15	Queen excluder shovel		Material:SUS304 Thickness:1.5mm	CTN:42*28*36cm 176PCS/CTN NW:17.5kg GW:18kg	50	0.91
J16	Frame shovel		Material:Galvanized iron Thickness:3mm	CTN:39*28*23.5cm 200PCS/CTN NW:16kg GW:17kg	50	0.86















J17-1	Stainless steel frame grip		Size:130mm*130mm Thickness:1.8mm Surface Treatment:Mirror polish and Sanding Material:SUS2CR13	CTN:31.5*31.5*4 2.5cm 80PCS/CTN NW:19.5kg GW:20kg	50	0.92
J17-2	Iron plating frame grip		Weight:140g Size:130mm*90mm Thickness:2.0mm Surface Treatment:Metal plating Material:Iron	CTN:31.5*31.5*4 2.5cm 80PCS/CTN NW:19.5kg GW:20kg	50	1.15
J17-3	Stainless steel frame grip with shovel		Size:270m*130mm*105mm Shovel:35mm Thickness:2.8mm Weight:275g Surface Treatment:Electrolytic polishing Material:2CR13	CTN:31.5*31.5*4 2.5cm 80PCS/CTN NW:19.5kg GW:20kg	50	2.30
J17-5	Frame grip (Long clip)		Size:130*140mm Material:Galvanized iron	CTN:31.5*31.5*4 2.5cm 80PCS/CTN NW:19.5kg GW:20kg	50	1.15
J17-6	Frame grip		Material:Galvanized iron Thickness:3mm	CTN:31.5*31.5*4 2.5cm 80PCS/CTN NW:19.5kg GW:20kg	50	1.15
J17-7	Frame grip		Material:SUS201 Thickness:3mm	CTN:31.5*31.5*4 2.5cm 80PCS/CTN NW:19.5kg GW:20kg	50	1.73
J17-8	European Style frame grip with shovel		Material:SUS201	CTN:40*28.5*22cm 60PCS/CTN NW:13kg GW:13.5kg	50	2.07
J18-1	Frame fixator		Size:374*25mm Thickness:0.35mm Material:Galvanized iron Weight:35g	500pcs/carton	50	0.21
J18-2	Frame fixator		Size:374*28mm Thickness:0.35mm Material:Galvanized iron Weight:38.2g	500pcs/carton	50	0.21
J18E-C	European style frame fixator		Size:450*22mm Material:Galvanized iron Weight:30g	500pcs/carton	50	0.21
J18E-D	European style frame fixator		Size:375*22mm Material:Galvanized iron Weight:24g	500pcs/carton	50	0.21
J19	Honey comb fork		Material:SUS201	100PCS/CTN	50	1.30
J20	Frame support		Material:SUS201	50pcs/carton	50	2.15
J20-2	Frame support		Material:SUS201	CTN:69*29*21cm 40PCS/CTN NW:14kg GW:15kg	50	2.30

J22-1	Honey scraper knife		Material:2CR13	CTN:43*25.5*21.5cm 180PCS/CTN NW:17.5kg GW:18kg	50	0.86
J22-2	Honey scraper knife		Material:SUS430 Surface Treatment:Mirror polish	200PCS/CTN	50	1.08
J26-1	Beehive entrance		Size:450*37mm Weight:56g	1000PCS/CTN	300	0.21
J26-2	Beehive entrance		Size:380*37mm Weight:47g	1000PCS/CTN	300	0.21
J26-3	Beehive entrance		Size:250*37mm Weight:32g	1000PCS/CTN	300	0.21
J26-4	Beehive entrance		Size:220*37mm Weight:28g	1000PCS/CTN	300	0.21
J26-5	Beehive entrance		Size:180*37mm Weight:24g	1000PCS/CTN	300	0.21
J28	Beehive entrance		Diameter:125mm Thickness:0.45mm Material:Galvanized iron	CTN:33*14*13.5cm 180PCS/CTN NW:10.3kg GW:10.8kg	100	0.52
J29	Beewax scraper		Material:SUS201	CTN:31*18*21.8cm 300PCS/CTN NW:14.6kg GW:15kg	100	0.52
J31	Honey heating pot		Material:SUS304 Weight:618g Volume:1.5L	20PCS/CTN	50	7.94
J33-1	Beehive edgings		Size:450*12mm Material:Galvanized iron Weight:35g	1000PCS/CTN	300	0.21
J33-2	Beehive edgings		Size:375*12mm Material:Galvanized iron Weight:29g	1000PCS/CTN	300	0.21
J34	Needle		Material:SUS201	250PCS/CTN	100	0.39
J35	Beehive connector		Material:Galvanized iron	CTN:43*21*27cm 200PCS/CTN NW:15.5kg GW:16kg	100	0.48
J37	Frame cleaner		Material:SUS201	CTN:31.5*31.5*30cm 200PCS/CTN NW:17kg GW:18kg	50	0.72

J38	Honey splash bar		Material:SUS201	400PCS/CTN	50	0.40
J39	Spring Fastener		Material:SUS201	250PCS/CTN	300	0.16
J40	Acarid fumigator		Material:SUS304	100PCS/CTN	50	2.76
J41	Uncapping tray		Surface Treatment: Sanding Material:SUS201	20PCS/CTN	50	26.45
J41-2	Uncapping tray		Surface Treatment:Mirror polishing Material:SUS201	50PCS/CTN	50	23.00
J43	Honey tank support		Material:SUS201	200PCS/CTN	50	2.53
J43-1	Honey tank support		Material:SUS304	200PCS/CTN	50	2.88
J46	Metal corner bee escape		Material:Iron	500PCS/CTN	50	0.35
Bee glove & Bee suit & Bee hat						
FS04	Bee glove		Material:Golden sheepskin + High breathable mesh+Polyester cotton Size:L,XL,XXL Length:480mm -520mm	CTN:66*32*31cm 80PCS/CTN NW:15kg GW:16kg	50	3.80
FS05WW	Bee glove		Material:White sheepskin + High breathable mesh+Polyester cotton Size:L,XL,XXL Length:480mm -520mm	CTN:66*32*31cm 80PCS/CTN NW:15kg GW:16kg	50	3.80
FS05WY	Bee glove		Material:White sheepskin + High breathable mesh+Polyester cotton Size:L,XL,XXL Length:480mm -520mm	CTN:66*32*31cm 80PCS/CTN NW:15kg GW:16kg	50	3.57
FS05YW	Bee glove		Material:Golden sheepskin + High breathable mesh+Polyester cotton Size:L,XL,XXL Length:480mm -520mm	CTN:66*32*31cm 80PCS/CTN NW:15kg GW:16kg	50	3.57
FS06WW	Bee glove		Material:White sheepskin + High breathable mesh+Canvas Size:L,XL,XXL Length:480mm -520mm	CTN:66*32*31cm 80PCS/CTN NW:15kg GW:16kg	50	5.06
FS06YY	Bee glove		Material:Golden sheepskin + High breathable mesh+Canvas Size:L,XL,XXL Length:480mm -520mm	CTN:66*32*31cm 80PCS/CTN NW:15kg GW:16kg	50	5.06















FS07	European bee glove		Material:Golden sheepskin Size:6-15	CTN:66*32*31cm 80PCS/CTN NW:15kg GW:16kg	50	4.14
FS01YB	Golden sheepskin bee glove		Material:Golden sheepskin & Polyester cotton Size:L,XL,XXL Length:480mm -520mm	CTN:66*32*31cm 80PCS/CTN NW:15kg GW:16kg	50	2.65
FS01YF	Golden sheepskin bee glove		Material:Golden sheepskin & Canvas Size:L,XL,XXL Length:480mm -520mm	CTN:66*32*31cm 80PCS/CTN NW:15kg GW:16kg	50	2.65
FS01WB	White sheepskin bee glove		Material:White sheepskin & Polyester cotton Size:L,XL,XXL Length:480mm -520mm	CTN:66*32*31cm 80PCS/CTN NW:15kg GW:16kg	50	2.65
FS01WF	White sheepskin bee glove		Material:White sheepskin & Canvas Size:L,XL,XXL Length:480mm -520mm	CTN:65*30*25cm 80PCS/CTN NW:12kg GW:12.5kg	50	2.65
FS02WB	Artificial leather bee glove		Material:Artificial leather & Polyester cotton Size:L,XL,XXL Length:480mm -520mm	CTN:66*32*31cm 80PCS/CTN NW:15kg GW:16kg	50	1.73
FS03W	Mesh cloth sheepskin bee glove		Material:White sheepskin & Polyester cotton or canvas Size:L,XL,XXL Length:480mm -520mm	CTN:66*32*31cm 80PCS/CTN NW:15kg GW:16kg	50	4.14
FS03Y	Mesh cloth sheepskin bee glove		Material:Golden sheepskin & Polyester cotton or canvas Size:L,XL,XXL Length:480mm -520mm	CTN:66*32*31cm 80PCS/CTN NW:15kg GW:16kg	50	4.14
FY01Y	Children bee suit		Size:S,ML,XL,XXL,XXXL Material:Cotton	CTN:45*45*55cm 30PCS/CTN NW:26kg GW:27kg	50	14.95
FM12	Bee hat		Material:plastic & nylon veil	CTN:66*32*31cm 30PCS/CTN NW:15kg GW:16kg	15	12.08
FY01A	Bee suit		Size:S,ML,XL,XXL,XXXL Material:Cotton	CTN:45*45*55cm 25PCS/CTN NW:26kg GW:27kg	15	17.25
FY01W	Bee suit		Size:S,ML,XL,XXL,XXXL Material:Cotton	CTN:45*45*55cm 25PCS/CTN NW:26kg GW:27kg	15	17.25
FY02A	Bee suit		Size:S,ML,XL,XXL,XXXL Material:Cotton	CTN:45*45*55cm 25PCS/CTN NW:26kg GW:27kg	15	13.80
FY02W	Bee suit		Size:S,ML,XL,XXL,XXXL Material:Cotton	CTN:45*45*55cm 25PCS/CTN NW:26kg GW:27kg	15	13.80













FY03B	Wasp protection suit		Size:S,ML,XL,XXL,XXXL Material:PVC	CTN:45*45*55cm 25PCS/CTN NW:26kg GW:27kg	15	33.93
FY04Y	Bee suit		Size:S,ML,XL,XXL,XXXL Material:Cotton	CTN:45*45*55cm 25PCS/CTN NW:26kg GW:27kg	15	19.78
FY04W	Bee suit		Size:S,ML,XL,XXL,XXXL Material:Cotton	CTN:45*45*55cm 25PCS/CTN NW:26kg GW:27kg	15	19.78
FY05Y	Bee suits		Size:S,ML,XL,XXL,XXXL Material:Cotton	CTN:43*43*61cm 25PCS/CTN NW:26kg GW:27kg	15	19.78
FY05W	Bee suits		Size:S,ML,XL,XXL,XXXL Material:Cotton	CTN:45*45*55cm 25PCS/CTN NW:26kg GW:27kg	15	19.78
FY06A	Bee jacket		Size:S,ML,XL,XXL,XXXL Material:Cotton	CTN:45*45*55cm 30PCS/CTN NW:14kg GW:15kg	15	13.80
FY06W	Bee jacket		Size:S,ML,XL,XXL,XXXL Material:Cotton	CTN:45*45*55cm 30PCS/CTN NW:14kg GW:15kg	15	13.80
FY07AW	Bee jacket		Size:S,ML,XL,XXL,XXXL Material:Cotton	CTN:45*45*55cm 30PCS/CTN NW:14kg GW:15kg	15	9.43
FY07S	Bee jacket		Size:Free size Material:Polyester	CTN:45*45*55cm 30PCS/CTN NW:14kg GW:15kg	15	5.64
FY07C	Bee jacket		Size:Free size Material:Polyester	CTN:45*45*55cm 30PCS/CTN NW:14kg GW:15kg	15	5.64
FY07W	Bee jacket		Size:Free size Material:Polyester	CTN:45*45*55cm 30PCS/CTN NW:14kg GW:15kg	15	4.60
FY07B	Bee jacket		Size:Free size Material:Polyester	CTN:45*45*55cm 30PCS/CTN NW:14kg GW:15kg	15	4.60
FY07P	Bee jacket		Size:Free size Material:Polyester	CTN:45*45*55cm 30PCS/CTN NW:14kg GW:15kg	15	4.03
FY10A	Bee breathable jacket		Size:S,ML,XL,XXL,XXXL Material:Cotton & breathable mesh	CTN:45*45*55cm 15PCS/CTN NW:14kg GW:15kg	15	35.65















FY10B	Bee breathable suit		Size:S,ML,XL,XXL,XXXL Material:Cotton & breathable mesh	CTN:45*45*55cm 10PCS/CTN NW:14kg GW:15kg	15	43.70
FM02	Bee hat		Size:Free size	CTN:40*40*82cm 50PCS/CTN NW:12kg GW:13kg	15	3.45
FM03	Bee hat		Size:Free size Material:Cotton	CTN:40*40*82cm 50PCS/CTN NW:12kg GW:13kg	15	4.60
FM04W	Bee hat		Size:Free size Material:Cotton	CTN:40*40*82cm 50PCS/CTN NW:12kg GW:13kg	15	4.60
FM04A	Bee hat		Size:Free size Material:Cotton	CTN:40*40*82cm 50PCS/CTN NW:12kg GW:13kg	15	4.60
FM04Y	Bee hat		Size:Free size Material:Cotton	CTN:40*40*82cm 50PCS/CTN NW:12kg GW:13kg	15	4.60
FM04C	Bee hat		Size:Free size Material:Cotton	CTN:40*40*82cm 50PCS/CTN NW:12kg GW:13kg	15	4.60
FM05Y	Bee hat		Size:Free size Material:Cotton	CTN:40*40*82cm 50PCS/CTN NW:12kg GW:13kg	15	4.60
FM05C	Bee hat		Size:Free size Material:Cotton	CTN:40*40*82cm 50PCS/CTN NW:12kg GW:13kg	15	4.60
FM05W	Bee hat		Size:Free size Material:Cotton	CTN:40*40*82cm 50PCS/CTN NW:12kg GW:13kg	15	4.60
FM05A	Bee hat		Size:Free size Material:Cotton	100PCS/CTN	15	4.60
FM06	Bee hat		Size:Free size Material:Cotton	50pcs/carton 40*40*22cm 5.25kg/carton	50	1.61
FM07	Bee hat		Size:Free size Material:Polyester	200pcs/carton 44*44*61cm 12.4kg/carton	50	0.92
FM08	Bee hat		Size:Free size Material:Polyester	200pcs/carton 44*44*61cm 12.4kg/carton	50	1.04















FM09	Bee hat		Material:PP	200pcs/carton 44*44*61cm 12.4kg/carton	50	5.52
FM10	Bee hat		Material:straw plaited	200pcs/carton 44*44*61cm 12.4kg/carton	50	7.82
Smoker						
PH01	Bee smoker (Size-L)		Size:29CM*Φ10CM Material:SUS201 Collector box:Cowhide	CTN:70*39*47.5cm 10PCS/CTN NW:11kg GW:12kg	50	6.33
PH02	Bee smoker (Size-L)		Size:31CM*Φ10CM Material:SUS201 Collector box:Cowhide	CTN:70*39*47.5cm 10PCS/CTN NW:11kg GW:12kg	50	5.98
PH02-G	Bee smoker (Size-L)		Size:31CM*Φ10CM Material:Galvanized iron Collector box:Cowhide	CTN:70*39*47.5cm 10PCS/CTN NW:11kg GW:12kg	50	4.14
P01	Bee smoker (Size-M)		Size:24CM*Φ10CM Material:SUS201 Collector box:Cowhide	CTN:68*31*69cm 15PCS/CTN NW:12.5kg GW:13kg	50	5.98
P02	Bee smoker (Size-M)		Size:28CM*Φ10CM Material:SUS201 Collector box:Cowhide	CTN:68*31*69cm 15PCS/CTN NW:12.5kg GW:13kg	50	5.52
P02-G	Bee smoker (Size-M)		Size:28CM*Φ10CM Material:Galvanized iron Collector box:Cowhide	CTN:69*31*70cm 15PCS/CTN NW:12.5kg GW:13kg	50	4.14
PS01	Bee smoker (Size-S)		Size:21CM*Φ8.5CM Material:SUS201 Collector box:Cowhide	CTN:63.5*30*63cm 15PCS/CTN NW:10kg GW:10.5kg	50	4.83
PS02	Bee smoker (Size-S)		Size:26CM*Φ8.5CM Material:SUS201 Collector box:Cowhide	CTN:63.5*30*63cm 15PCS/CTN NW:10kg GW:10.5kg	50	4.34
PS02-G	Bee smoker (Size-S)		Size:26CM*8.5CM Material:Galvanized iron Collector box:Cowhide	CTN:63.5*30*63cm 15PCS/CTN NW:10kg GW:10.5kg	50	3.39
PTS02	Bee smoker (Size-Mini)		Size:18CM*Φ6.5CM Material:SUS201 Collector box:PU	CTN:76*33*42cm 20PCS/CTN NW:10kg GW:10.5kg	50	4.60
PD03-J	Electric bee smoker		Size:28CM*Φ10CM Material:SUS201	CTN:74*31*69cm 15PCS/CTN NW:14kg GW:15kg	50	7.59
PD03-Y	Electric bee smoker		Size:26CM*Φ10CM Material:SUS201	CTN:74*31*69cm 15PCS/CTN NW:14kg GW:16kg	50	7.94














PJ01	Cow leather bee below		Material:Cow leather &Veneer case	50pcs/carton	50	1.52
PJ01-2	Plastic bee bellow		Material:Plastic	50pcs/carton	50	4.23
PJ01-4	Micro leather bee smoker below		Material:Micro leather &Veneer case	50pcs/carton	50	1.73
PJ01-5	PU bee below		Material:PU &Veneer case	50pcs/carton	50	2.07
PJ01-6	PU bee below		Material:PU &Veneer case	50pcs/carton	50	2.30
PJ23	Small inner tank for bee smoker--S size		Material:Iron	CTN:76*33*42cm 150pcs/carton	50	0.98
PJ23-2	Big inner tank for bee smoker-- M & L size		Material:Iron	CTN:76*33*42cm 100pcs/carton	50	1.15
PJ29-2	Bee smoker fuel support		Material:Iron:SUS201	CTN:45*45*55cm 200PCS/CTN NW:8kg GW:8.5kg	50	0.35
Bee brush						
S01-1	Single row bristles bee brush		Handle:40cm Brush width:21cm Weight:40g Brush material:Bristles Handle material:Pine	CTN:45*45*55cm 400PCS/CTN NW:29kg GW:30kg	50	0.97
S01-2	Double rows bristles bee brush		Handle:40cm Brush width:21cm Weight:50g Brush material:Bristles Handle material:Pine	CTN:45*45*55cm 360PCS/CTN NW:29kg GW:30kg	50	1.20
S01-3	Three rows bristles bee brush		Handle:40cm Brush width:21cm Weight:100g Brush material:Bristles Handle material:Pine	CTN:45*45*55cm 300PCS/CTN NW:29kg GW:30kg	50	1.84
S01-4	Single row bristles bee brush		Handle:40cm Brush width:21cm Brush material:Bristles Handle material:Pine	CTN:45*45*55cm 400PCS/CTN NW:29kg GW:30kg	50	0.97
S01-5	Double rows bristles bee brush		Handle:40cm Brush width:21cm Brush material:Bristles Handle material:Pine	CTN:45*45*55cm 360PCS/CTN NW:29kg GW:30kg	50	1.73
S02-1	Single row horsehair bee brush		Handle:40cm Brush width:21cm Weight:50g Brush material:Horsehair Handle material:Pine	CTN:45*45*55cm 400PCS/CTN NW:29kg GW:30kg	50	0.86

S02-2	Double rows horsehair bee brush		Handle:40cm Brush width:21cm Weight:42g Brush material:Horsehair Handle material:Pine	CTN:45*45*55cm 360PCS/CTN NW:29kg GW:30kg	50	0.86
S02-3	Three rows horsehair bee brush		Handle:40cm Brush width:21cm Weight:100g Brush material:Horsehair Handle material:Pine	CTN:45*45*55cm 300PCS/CTN NW:29kg GW:30kg	50	1.73
S02-4	Single row horsehair bee brush		Handle:40cm Brush width:21cm Weight:40g Brush material:Horsehair Handle material:Pine	CTN:45*45*55cm 400PCS/CTN NW:29kg GW:30kg	50	0.86
S02-5	Double rows horsehair bee brush		Handle:40cm Brush width:21cm Weight:42g Brush material:Horsehair Handle material:bamboo	CTN:45*45*55cm 300PCS/CTN NW:29kg GW:30kg	50	0.86
S02-6	Double rows horsehair bee brush		Handle:40cm Brush width:21cm Brush material:Horsehair Handle material:bamboo	CTN:45*45*55cm 300PCS/CTN NW:29kg GW:30kg	50	0.86
S02-7	Double rows horsehair bee brush		Handle:40cm Brush width:21cm Brush material:Horsehair Handle material:Pine	CTN:45*42*59cm 300PCS/CTN NW:27kg GW:28kg	50	1.73
S02-8	Double rows horsehair bee brush		Handle:40cm Brush width:21cm Brush material:Horsehair Handle material:Pine	CTN:45*42*59cm 300PCS/CTN NW:27kg GW:28kg	50	1.84
S02-9	Three rows horsehair bee brush		Handle:40cm Brush width:21cm Brush material:Horsehair Handle material:Pine	CTN:45*42*59cm 300PCS/CTN NW:27kg GW:28kg	50	2.38
S02-10	Double rows horsehair bee brush		Handle:40cm Brush width:21cm Weight:70g Brush material:Horsehair Handle material:Plastic	CTN:45*45*55cm 300PCS/CTN NW:29kg GW:30kg	50	0.76
S02-12	Four rows horsehair bee brush		Handle:40cm Brush width:21cm Brush material:Horsehair Handle material:Pine	CTN:45*45*55cm 300PCS/CTN NW:29kg GW:30kg	50	2.28
S03-1	Single row bee brush		Handle:40cm Brush width:21cm Weight:40g Brush material:Plastic Handle material:Pine	CTN:45*45*55cm 400PCS/CTN NW:29kg GW:30kg	50	0.86
S03-2	Double rows bee brush		Handle:40cm Brush width:21cm Weight:55g Brush material:Plastic Handle material:Pine	CTN:45*45*55cm 360PCS/CTN NW:29kg GW:30kg	50	0.97
S03-2B	Double rows bee brush		Handle:40cm Brush width:21cm Weight:50g Brush material:Plastic Handle material:Pine	CTN:45*45*55cm 360PCS/CTN NW:29kg GW:30kg	50	1.38
S03-3	Three rows bee brush		Handle:40cm Brush width:21cm Weight:90g Brush material:Plastic Handle material:Pine	CTN:45*45*55cm 300PCS/CTN NW:29kg GW:30kg	50	1.50

S03-4	Double rows bee brush		Handle:40cm Brush width:21cm Brush material:Plastic Handle material:Pine	CTN:45*45*55cm 300PCS/CTN NW:29kg GW:30kg	50	1.30
S04-1	Single row horsehair bee brush		Handle:49cm Brush width:31cm Brush material:Horsehair Handle material:Pine	CTN:45*45*55cm 200PCS/CTN NW:30kg GW:31kg	50	2.07
S04-2	Single row horsehair bee brush		Handle:49cm Brush width:26cm Brush material:Horsehair Handle material:Pine	CTN:45*45*55cm 200PCS/CTN NW:29kg GW:30kg	50	2.07
S04-3	Single plastic brush		Handle:47cm Brush width:27cm Brush material:Plastic Handle material:Plastic	CTN:45*45*55cm 200PCS/CTN NW:21kg GW:22kg	50	2.53
Honey gate						
K01O	Honey gate(Orange)		Thread outer diameter :44mm (For honey extractor hole) Material:ABS	CTN:66*32*31cm 250PCS/CTN NW:22kg GW:22.5kg	500	0.94
K01W	Honey gate(White)		Thread outer diameter :44mm (For honey extractor hole) Material:ABS	CTN:66*32*31cm 250PCS/CTN NW:22kg GW:22.5kg	50	0.94
K01-PP	Honey gate (PP)		Thread outer diameter :44mm (For honey extractor hole) Material:ABS	CTN:66*32*31cm 250PCS/CTN NW:22kg GW:22.5kg	50	0.94
K01Y	Honey gate(Yellow)		Thread outer diameter :44mm (For honey extractor hole) Material:ABS	CTN:66*32*31cm 250PCS/CTN NW:22kg GW:22.5kg	50	0.94
K01G	Honey gate(Green)		Thread outer diameter :44mm (For honey extractor hole) Material:ABS	CTN:66*32*31cm 250PCS/CTN NW:22kg GW:22.5kg	50	0.94
K01R	Honey gate(Red)		Thread outer diameter :44mm (For honey extractor hole) Material:ABS	CTN:66*32*31cm 250PCS/CTN NW:22kg GW:22.5kg	500	0.94
K02Y	Honey gate(Yellow)		Thread outer diameter :44mm (For honey extractor hole) Material:ABS	CTN:66*32*31cm 200PCS/CTN NW:19.5 kg GW:20kg	50	1.84
K03O	Honey gate(Orange)		Thread outer diameter :44mm (For honey extractor hole) Material:ABS	CTN:66*32*31cm 200PCS/CTN NW:19.5 kg GW:20kg	50	1.84
K03W	Honey gate(White)		Thread outer diameter :48mm (For honey extractor hole) Material:ABS	CTN:66*32*31cm 200PCS/CTN NW:19.5 kg GW:20kg	50	1.84
K04-1	Stainless steel honey gate		Thread outer diameter :44mm (For honey extractor hole) Material:SUS201 Weight:433g	CTN:27*15*51cm 50PCS/CTN NW:20kg GW:21kg	10	8.28
K04-2	Stainless steel honey gate		Thread outer diameter :44mm (For honey extractor hole) Material:SUS201 Weight:487g	CTN:27*15*51cm 50PCS/CTN NW:20kg GW:21kg	10	8.28

K04-3	Stainless steel honey gate		Thread outer diameter :44mm (For honey extractor hole) Material:SUS201 Weight:382g	CTN:27*15*51cm 50PCS/CTN NW:20kg GW:21kg	10	8.28
K04-4	Stainless steel honey gate		Thread outer diameter :44mm (For honey extractor hole) Material:SUS201 Weight:487g	CTN:27*15*51cm 50PCS/CTN NW:20kg GW:21kg	10	8.63
Queen cage						
L01	Plastic queen cage		Plastic queen cage(The larva not longer need to be transferred)	CTN:45*45*55cm 3500PCS/CTN NW:11.5kg GW:12.5kg	1000	0.10
L02	Plastic queen cage		Plastic queen cage(Extension type)	500PCS/CTN	100	0.08
L02-2	Plastic queen cage		Plastic queen cage(Extension type)	500PCS/CTN	100	0.09
L03	Plastic queen cage		Plastic queen cage	CTN:53*43*28cm 500PCS/CTN NW:10kg GW:11kg	100	0.09
L04	Queen marker		Queen marker	CTN:45*45*55cm 1000PCS/CTN NW:19kg GW:20kg	100	0.71
L05-1	Plastic queen cage		Plastic queen cage	CTN:66*32*31cm 1000PCS/CTN NW:9.5kg GW:10kg	100	0.09
L05-2	Plastic queen cage		Plastic queen cage	CTN:66*32*31cm 1000PCS/CTN NW:9.5kg GW:10kg	100	0.09
L06-1	Queen catcher (PC)		Material:PC	CTN:62*50*33cm 1000PCS/CTN NW:14.5kg GW:15kg	100	0.23
L06-4	Queen catcher		Material:SUS201	CTN:30*50*33cm 500PCS/CTN NW:14.5kg GW:30kg	100	0.92
L07	Bamboo queen cage		Bamboo queen bee cage	800PCS/CTN	100	0.23
L08	Bamboo queen cage		Bamboo queen bee cage	CTN:55*45*55cm 2000PCS/CTN NW:11kg GW:12kg	100	0.09
L09	Queen cage		Height:40mm Needle dia:1mm Weight:24g Material:SUS304&Plastic	CTN:46*82*29cm 670PCS/CTN NW:17kg GW:17.5kg	100	0.68















L10	Queen catcher		Material:PP	1000PCS/CTN	100	0.69
L11	Queen cage		Material:PP	1000PCS/CTN	100	0.12
L12	Queen cell cup		Material:PP	1000PCS/CTN	100	0.37
L15	Bee catcher		Material:PP	1000PCS/CTN	100	1.45
L17-1	Queen barrier 2 frames		Material:PP	CTN:51*51*41cm 35PCS/CTN NW:16.3kg GW:17kg	50	10.35
L17-2	Queen barrier 1 frame		Material:PP	CTN:51*51*41cm 35PCS/CTN NW:14.3kg GW:15kg	50	10.35
L18	Bamboo bee cage		Material:Bamboo	CTN:55*55*45cm 100PCS/CTN NW:10kg GW:11kg	50	2.07
Bee feeder						0.00
W01	Frame feeder		Size:483*80*230mm Material:PP Volume:6kg Weight:850g	CTN:60*50*60cm 30 PCS/CTN NW:21kg GW:22kg	50	2.53
W01-2	Frame feeder		Size:483*55*220mm Material:PP Volume:4kg Weight:620g	CTN:60*50*60cm 50 PCS/CTN NW:19kg GW:20kg	50	2.29
W10	Frame feeder		Size:483*35*240mm Material:Wooden Volume:6kg	810*510*500mm 50PCS/CTN	50	2.76
W11	Frame feeder		Size:332*35*156mm Material:Wooden Volume:4kg	810*510*500mm 50PCS/CTN	50	2.30
W02	0.75kg plastic feeder		Material:PP Volume:0.75kg	CTN:51*36*85cm 600PCS/CTN NW:26kg GW:27kg	50	0.33
W03	1.5kg plastic feeder		Material:PP Volume:1.5kg	CTN:60*50*60cm 350 PCS/CTN NW:19kg GW:20kg	50	0.46
W04	3kg plastic feeder		Material:PP Volume:3kg	CTN:60*50*60cm 200 PCS/CTN NW:19kg GW:20kg	50	0.56

W05	1kg plastic feeder		Material:PP Volume:1kg	CTN:60*50*60cm 500 PCS/CTN NW:19kg GW:20kg	50	0.46
W06	Entrance feeder		Material:PP	CTN:60*50*60cm 500 PCS/CTN NW:19kg GW:20kg	50	0.29
W07	Entrance feeder		Material:PP	CTN:60*50*60cm 1000 PCS/CTN NW:27kg GW:28kg	50	0.18
W08	0.6kg plastic feeder		Material:PP Volume:0.6kg	CTN:51*36*85cm 600PCS/CTN NW:26kg GW:27kg	50	0.33
W09	1.6kg plastic feeder		Material:PP Volume:1.6kg	CTN:51*36*85cm 600PCS/CTN NW:26kg GW:27kg	50	0.48
W12	Bee feeder		Material:PP Volume:6kg	CTN:74.5*40*68.5cm 20PCS/CTN NW:20kg GW:21kg	50	5.18
W13	Bee feeder		Material:PP	CTN:70*45*65cm 50PCS/CTN NW:17kg GW:18kg	500	1.73
W15	Pollen feeder		Material:PP	CTN:70*45*65cm 10PCS/CTN NW:15kg GW:16kg	500	2.65
Pollen trap						
T01	Pollen trap		Pollen trap	CTN:98*51*51cm 50PCS/CTN NW:26kg GW:28kg	20	2.74
T02	Pollen trap		Pollen trap	50pcs/carton	50	1.87
T03	Pollen trap		Pollen trap	50pcs/carton	50	1.31
T04	Pollen trap		Material:PP	500pcs/carton	50	0.37
T05	Pollen trap		Material:PP	500pcs/carton	50	0.56
Bass eyelet & Metal wire						0.00




J14	Pure copper eyelet (1KG/BAG)		Material:Red copper Size:4.5*2.5mm*2.5mm	CTN:43*21*27cm 25KG/CTN NW:25kg GW:26kg	300	12.65
J14-2	Pure copper eyelet (1KG/BAG)		Material:Red copper Size:6mm*5mm*3mm	CTN:43*21*27cm 25KG/CTN NW:25kg GW:26kg	300	12.65
J14-3	Copper plating eyelet (1KG/BAG)		Material:Iron Size:4.5*2.5mm*2.5mm	CTN:43*21*27cm 25KG/CTN NW:25kg GW:26kg	300	5.75
WMG-250	Galvanized wire 0.25kg/roll		Diameter:0.45mm Material:Galvanized iron (Other wire diameter can be made to order)	CTN:33*22*17cm 56PCS/CTN NW:14.3kg GW:14.5kg	1000	0.93
WMG-500	Galvanized wire 0.5kg/roll		Diameter:0.45mm Material:Galvanized iron (Other wire diameter can be made to order)	CTN:33*22*17cm 48PCS/CTN NW:24 kg GW:24.5kg	500	1.24
WMG-1000	Galvanized wire 1kg/roll		Diameter:0.45mm Material:Galvanized iron (Other wire diameter can be made to order)	Diameter:0.55mm Material:Galvaniz ed iron	300	1.58
WMS201-250	Stainless steel wire 0.25kg/roll		Diameter:0.45mm Material:SUS201 (Other wire diameter can be made to order)	CTN:36*19*20cm 63PCS/CTN NW: 15.7kg GW:16kg	1000	1.50
WMS201-500	Stainless steel wire 0.5kg/roll		Diameter:0.45mm Material:SUS201 (Other wire diameter can be made to order)	CTN:36*30*20cm 40PCS/CTN NW: 19.5kg GW:20kg	500	2.28
WMS201-1000	Stainless steel wire 1kg/roll		Diameter:0.45mm Material:SUS201 (Other wire diameter can be made to order)	CTN:33*22*17cm 40PCS/CTN NW:40 kg GW:40.5kg	300	4.12
WMS201-6	Stainless steel wire 6kg/roll		Diameter:0.45mm Material:SUS201 (Other wire diameter can be made to order)	CTN:44*35*21cm 2PCS/CTN NW:12kg GW:13kg	100	27.60
WMS304-250	Stainless steel wire 0.25kg/roll		Diameter:0.45mm Material:SUS304 (Other wire diameter can be made to order)	CTN:36*19*20cm 63PCS/CTN NW: 15.7kg GW:16kg	1000	2.08
WMS304-500	Stainless steel wire 0.5kg/roll		Diameter:0.45mm Material:SUS304 (Other wire diameter can be made to order)	CTN:36*30*20cm 40PCS/CTN NW: 19.5kg GW:20kg	500	4.21
WMS304-1000	Stainless steel wire 1kg/roll		Diameter:0.45mm Material:SUS304 (Other wire diameter can be made to order)	CTN:33*22*17cm 40PCS/CTN NW:40 kg GW:40.5kg	300	6.00
Grafting tool						
Z01	Aluminium handle grafting tool		Length:170mm Handle:127mm Needle dia:2mm Weight:18g Material:Aluminium&SUS304	CTN:36*22.5*25c m 800PCS/CTN NW:15kg GW:15.5kg	100	1.15

Z02	Stainless steel grafting tool		Length:190mm Needle dia:3mm Weight:7g Material:SUS304	CTN:25*23*15cm 1600PCS/CTN NW:15kg GW:15.5kg	100	0.92
Z02-2	Stainless steel grafting tool (European style)		Length:190mm Needle dia:4mm Weight:10g Material:SUS304	CTN:25*23*15cm 1600PCS/CTN NW:15kg GW:15.5kg	100	0.92
Z03	Plastic grafting tool		Material:PP	500PCS/CTN	100	0.23
Z04	Plastic grafting tool		Material:Bamboo	500PCS/CTN	100	0.23
Other beekeeping tools						0.00
QT41	Honey refractometer tester		Measuring Range: 58-92%Brix 38-43 Be° (Baume) 12-27% Water Division: 0.5% Brix 0.5 Be° (Baume) 1% Water Accuracy: ±0.5% Brix ±0.5 Be° (Baume) ±1% Water	CTN:55*24*28cm 35PCS/CTN NW:8kg GW:9kg	5	23.00
QT41-2	Digital honey refractometer		Power supply:2×AAA(1.5V) Temperature measurement range:0°C-40°C(32°F - 104°F) Temperature measurement precision:±0.5°C(2°F) Temperature measurement accuracy:0.1°C(1°F)	10PCS/CTN	10	171.35
QT01	Propolis collector		Size:505mm*400*4mm Material:LDPE	CTN:55*45*38cm 70PCS/CTN NW:24kg GW:25kg	50	2.30
QT03	Smoker fuel (Bag)		54pcs/bag	CTN:45*45*55cm 250bags/CTN NW:31kg GW:32kg	30	2.30
QT05	Marking pen (PCS)		Mitsubishi PC-5M Color:Red,Green,Blue,Black,White	100PCS/CTN	50	1.84
QT006	Cone honey filter		Material:Nylon	CTN:40*39*40cm 100PCS/CTN NW:14kg GW:14.3kg	50	2.07
QT006-2	Cone honey filter with digging rope		Material:Nylon	CTN:40*39*40cm 100PCS/CTN NW:14kg GW:14.3kg	50	2.65
QT07	Honey filter (Thin style)		Size:50X35cm Material:Nylon	CTN:44*40*40cm 200PCS/CTN NW:2.8kg GW:3kg	500	2.42
QT07-2	Honey filter		Size:35X23cm Material:Nylon	CTN:44*40*40cm 200PCS/CTN NW:2.8kg GW:3kg	50	2.42
QT09	Sprayer		Size:295mm*100mm Weight:275g Volume:1000ml Material:PE	CTN:56*46*32cm 20PCS/CTN NW:5kg GW:5.3kg	50	1.55

QT10	Wooden honey splash bar		Material: Beech	CTN:45*27*70cm 100PCS/CTN NW:20kg GW:20.5kg	200	0.23
QT10-2	Plastic honey splash bar		Material:PP	CTN:45*27*70cm 1000PCS/CTN NW:11kg GW:11.5kg	200	0.35
QT11	Royal jelly pen		Material:PP	100PCS/BAG	100	0.09
QT011-2	Royal jelly pen		Material:Plastic	100PCS/BAG	50	0.35
QT011-3	Royal jelly pen		Material:bamboo	50PCS/BOX	50	0.35
QT011-4	Royal jelly pen		Material:Plastic	100PCS/BAG	50	0.46
QT012-1	8 ways bee escape		Material:PP Weight:95g	CTN:50*31*34cm 1000PCS/CTN NW:9kg GW:10kg	50	0.75
QT16	Frame puncher		Material:SUS304 &Beech	CTN:43.5*39.5*3 2cm 35PCS/CTN NW:17kg GW:17.5kg	30	6.56
QT18	Single row royal jelly cup		Material:PP	1000PCS/CTN	50	0.29
QT19	Double rows royal jelly cup		Material:PP	1000PCS/CTN	50	0.35
QT20	Pollen Collector (Large)		Material:PP	200PCS/CTN	50	0.37
QT20-2	Pollen Collector (Small)		Material:PP	200PCS/CTN	50	0.33
QT22	Queen cell (Bag)		Queen cell	1000/Bag 20BAGS/CTN	20	2.25
QT22-2	Queen cell (Bag)		Queen cell	CTN:61*40*27cm 24 BAG/CTN NW:6kg GW:7kg	20	9.09
QT22-3	Queen cell cup			CTN:61*40*27cm 24 BAG/CTN NW:6kg GW:7kg	300	0.02

QT22-4	Queen cell		Queen cell		300	0.22
QT25	Sliding door of beehive		Material:PP	1000PCS/CTN	50	0.23
QT26	Plastic plate of hive entrance		Material:PP	CTN:51*31*34cm 1000PCS/CTN NW:9kg GW:10kg	50	0.33
QT27	Plastic frame spacer		Material:PP	1000PCS/CTN	50	0.20
QT30-1	Comb honey box 250g		Material:PP Volume:250g	1000PCS/CTN	50	0.40
QT30-2	Comb honey box 500g		Material:PP Volume:250g	1000PCS/CTN	50	0.62
QT31	Birth control tweezer		Material:PP	1000PCS/CTN	50	0.30
QT33	Plastic beehive entrance		Diameter:49mm	1000PCS/CTN	50	0.12
QT37	Binocular head loupe		Magnification times:1.2X ,1.8X ,2.5X ,3.5X. Material:ABS & organic glass Battery: 2*AAA(1.5V)	25PCS/CTN	10	5.47
QT38-1	Frame ranging tool (11 frames)		Material:ABS	100PCS/CTN	500	1.73
QT38-2	Frame ranging tool (10frames)		Material:ABS	100PCS/CTN	50	1.73
QT38-3	Frame ranging tool (9 frames)		Material:ABS	100PCS/CTN	50	1.73
QT39	Beehive Number mark		Material:ABS	200PCS/CTN	50	0.26
QT45	Hand labeler		Material:PP	100PCS/CTN	50	5.52

QT47	Frame spacer		Material:Plastic	1000PCS/CTN	300	0.08
QT48	Queen rearing box		Material:Plastic	80PCS/CTN CTN:60*32*33cm	30	5.75
QT52	Plastic beehive fixator(snap fastener)		Material:Plastic 2pcs/set	1000SETS/CTN	50	0.46
Bee medicine						
BM25-1	Golden mite-killer		Content : 50mg/pcs Usage and dose :Hanging the strips with diagonal direction in bee hive, or inserting the strips into hive door. One piece for weaker colony and two pieces for stronger colony	100BAG/CTN	50	2.30
BM25-2	Golden mite-killer		Content : 50mg/pcs Usage and dose :Hanging the strips with diagonal direction in bee hive, or inserting the strips into hive door. One piece for weaker colony and	100BAG/CTN	50	3.45
BM26	Prosperous mite-killer		Content : 50mg/pcs Usage and dose : each standard group (10 spleen bee) using a 1/4 of the way corner or hang on bee nest door in sert the pill. Specification : 60mg *20 strips/bag	100BAG/CTN	50	4.60
BM22	Varroa mite-killer		Content : 50mg/pcs Usage and dose : each standard group (10 spleen bee) using a 1/4 of the way corner or hang on bee nest door in sert the pill. Specification : 50mg *20 strips/bag	100BAG/CTN	50	2.88
BM22-1	Varroa mite-killer		Content : 50mg/pcs Usage and dose : each standard group (10 spleen bee) using a 1/4 of the way corner or hang on bee nest door in sert the pill. Specification : 50mg *20 strips/bag	100BAG/CTN	50	4.83
BM22-2	Varroa mite-killer		Content : 50mg/pcs Usage and dose : each standard group (10 spleen bee) using a 1/4 of the way corner or hang on bee nest door in sert the pill. Specification : 50mg *20 strips/bag	100BAG/CTN	50	8.63
BM07	Varroa mite-killer		Content : 50mg/pcs Usage and dose : each standard group (10 spleen bee) using a 1/4 of the way corner or hang on bee nest door in sert the pill. Specification : 50mg *20 strips/bag	100BAG/CTN	50	2.88
Pollen & Beeswax						
PL02	Pollen		1kg-5kg/bag, packed in an aluminum foil bag inside and paper carton outside. 25kgs/drum: 25kgs net weight, 28kgs gross weight. Packed in a cardboard-drum with two plastic-	To be negotiated upon market status		
F-CH006	Mix beeswax foundation		Wax foundation:415mm*195mm 410mm*200mm 410mm*260mm Other sizes are available upon request	To be negotiated upon market status		

F-CH006	Pure beeswax		Wax foundation:415mm*195mm 410mm*200mm 410mm*260mm Other sizes are available upon request	To be negotiated upon market status	
BWX01	Mix beeswax		Mix beeswax foundation	To be negotiated upon market status	
BWX02	Pure beeswax		Pure beeswax	To be negotiated upon market status	
Remark:					
1.Valid period of the offer:60days					
2.Trade terms:EXW					
3.If order amount is less than USD10000, ORC Charge USD200 will apply.					
4.Price is for reference only, we can adjust the price according to the quantity you want.					