

2015 BOAT & KAYAK COLLECTION

SHANGHAI

Bestway Inflatables & Material Corp.
No.3065 Cao An Road,
Shanghai, 201812, China
Tel: 86 21 6913 5588
Fax: 86 21 5913 8383
E-mail: info@bestway-shanghai.com

HONG KONG

Bestway (Hong Kong) International Ltd.
Suite 713, 7/Floor, East Wing, Tsim Sha Tsui Centre,
66 Mody Road, Kowloon, Hong Kong
Tel: 852 2997 7169
Fax: 852 2997 7869
E-mail: info@bestway-hongkong.com

INFLATE YOUR FUN™

EUROPE

Bestway (Europe) S.r.l.
Via Resistenza 5,
20098 San Giuliano M.se (MI) - Italy
Tel: 39 02 9884 881
Fax: 39 02 9884 8828
E-mail: info@bestway-europe.com

CENTRAL & SOUTH AMERICA

Bestway Central & South America Ltda
Salar Ascotan 1282, Parque Enea,
Pudahuel, Santiago, Chile
Tel: 562 2365 0315
Fax: 562 2365 0323
E-mail: info@bestway-southamerica.com

U.S.A.

Bestway (USA) Inc.
3249 E. Harbour Drive, Phoenix, Arizona 85034,
United States of America
Tel: 1 480 838 3888
Fax: 1 480 304 3349
E-mail: sales@bestway-northamerica.com

AUSTRALIA

Bestway Australia Pty Limited
Unit 10/71-83 Asquith Street,
Silverwater, NSW 2128, Australia
Tel: 61 2 9037 1388
Fax: 61 2 9737 9423
E-mail: info@bestway-australia.com



2015

Boat & Kayak

COLLECTION



Bestway



www.bestway-global.com

©2014 Bestway Inflatables & Material Corp.
All rights reserved.


Bestway

STAND UP SURFBOARD / HYDRO-FORCE™



INFLATABLE AIR DECK

Premium performance, Lightweight Design and Durability TriTech™



- TriTech™ a 3-ply reinforced polyester mesh-core encased in two layers of laminated PVC (Except 65054 65055)
- Impact resistant TriTech™ Sidewalls made from a 3-ply reinforced polyester mesh-core encased in two layers of laminated PVC
- Heavy-gauge, puncture resistant PVC
- High-density, woven polyester, lightweight, mono-directional fibers

PACKAGE INCLUDES

Carry Bag



Air Pump and Pressure Gauge



Aluminum Oar

For Surfing



For Kayak



SUP

WaveEdge SUP

HighWave SUP

Rip Tide SUP

White Cap SUP

Coast Liner SUP

Oceana SUP

Long Tail SUP

ALL - PURPOSE

STANDARD PRO

RACE SPORTY

300 cm
275 cm
250 cm
225 cm
200 cm
175 cm
150 cm
125 cm
100 cm
75 cm
50 cm
25 cm




65055



65054



65066



65065



65068



65067



65070



65069



65072



65071



65074



65073










65076



65075

Length	3.10 m	3.10 m	2.85 m	2.85 m	3.05 m	3.05 m	3.05 m	3.05 m	3.20 m	3.20 m	3.30 m	3.30 m	3.35 m	3.35 m
Width	68 cm	68 cm	76 cm	76 cm	76 cm	76 cm	81 cm	81 cm	81 cm	81 cm	76 cm	76 cm	76 cm	76 cm
Thickness	10 cm	10 cm	10 cm	10 cm	10 cm	10 cm	10 cm	10 cm	12 cm	12 cm	12 cm	12 cm	15 cm	15 cm
User Weight Capacity	100 kg	100 kg	75 kg	75 kg	90 kg	90 kg	95 kg	95 kg	120 kg	120 kg	115 kg	115 kg	145 kg	145 kg
Kayak Conversion	NO	YES	NO	YES	NO	YES	NO	YES	NO	YES	NO	YES	NO	YES

OVERALL PERFORMANCE





WaveEdge SUP

- 3.10 m x 68 cm x 10 cm (10'2" x 27" x 4") • Two modeled side fins and one removable middle fin for directional stability
- Drop stitch material provides unparalleled strength and durability • Quick inflation/deflation air valve • Non-slip traction pad • Steel tow ring • Convenient deck handle to easily pick up and carry the SUP • Weight capacity: 100 kg (220 Lb.)
- Passengers: 1 adult • Full color box • 1 Ea., 12.0 kg (26.4 Lb.) • Case volume: 0.13 m³

- Package includes:- Air Hammer™ inflation pump - Aluminum oar that can be used for surfing. (2.10 m, 83") - Repair kit- Travel bag - Pressure gauge

65055



WaveEdge SUP & Kayak

- 3.10 m x 68 cm x 10 cm (10'2" x 27" x 4") • Used as SUP or kayak • Two modeled side fins and one removable middle fin for directional stability • Drop stitch material provides unparalleled strength and durability • Quick inflation/deflation air valve • Non-slip traction pad • Steel tow ring • Convenient deck handle to easily pick up and carry the SUP • Weight capacity: 100 kg (220 Lb.)
- Passengers: 1 adult • Full color box • 1 Ea., 13.5 kg (29.8 Lb.) • Case volume: 0.13 m³

- Package includes:- Air Hammer™ inflation pump - Aluminum oar that can be used for surfing. (2.10 m, 83") - Repair kit- Travel bag - Pressure gauge - Kayak seat with back rest

65054



HighWave SUP

- **2.85 m x 76 cm x 10 cm** (9'4" x 30" x 4") • **Three modeled fins** for directional stability • **Drop stitch material** provides unparalleled strength and durability • **Durable double-wall** • Quick inflation/deflation **air valve** • Non-slip **traction pad** • **Steel tow ring** • Convenient **deck handle** to easily pick up and carry the SUP • Weight capacity: **75 kg (165 Lb.)** • Passengers: **1 adult**
- **Full color box** • 1 Ea., **14.7 kg (32.5 Lb.)** • Case volume: **0.13 m³**



Package includes: - **Air Hammer™ inflation pump** - **Aluminum oar** that can be used for surfing. (2.15 m, 85") - **Repair kit** - **Travel bag** - **Pressure gauge**

65066



HighWave SUP & Kayak

- **2.85 m x 76 cm x 10 cm** (9'4" x 30" x 4") • Used as **SUP** or **kayak** • **Three modeled fins** for directional stability
- **Drop stitch material** provides unparalleled strength and durability • **Durable double-wall** • Quick inflation/deflation **air valve** • Non-slip **traction pad** • **Steel tow ring** • Convenient **deck handle** to easily pick up and carry the SUP • Weight capacity: **75 kg (165 Lb.)** • Passengers: **1 adult** • **Full color box**
- 1 Ea., **16.1 kg (35.5 Lb.)** • Case volume: **0.13 m³**

Package includes: - **Air Hammer™ inflation pump** - **Aluminum oar** that can be used for kayaking or surfing. (2.21 m, 87") - **Repair kit** - **Travel bag** - **Pressure gauge** - **Kayak seat with back rest**

65065



Rip Tide SUP

- **3.05 m x 76 cm x 10 cm** (10' x 30" x 4") • **Three modeled fins** for directional stability • **Drop stitch material** provides unparalleled strength and durability • **Durable double-wall** • Quick inflation/deflation **air valve** • Non-slip **traction pad** • **Steel tow ring** • Convenient **deck handle** to easily pick up and carry the SUP • Weight capacity: **90 kg (198 Lb.)** • Passengers: **1 adult** • **Full color box**
- 1 Ea., **15.9 kg (35.1 Lb.)** • Case volume: **0.13 m³**

Package includes:- **Air Hammer™ inflation pump** - **Aluminum oar** that can be used for surfing. (2.15 m, 85") - **Repair kit** - **Travel bag** - **Pressure gauge**

65068



Rip Tide SUP & Kayak

- **3.05 m x 76 cm x 10 cm** (10' x 30" x 4") • Used as a **SUP** or a **kayak** • **Three modeled fins** for directional stability • **Drop stitch material** provides unparalleled strength and durability • **Durable double-wall** • Quick inflation/deflation **air valve** • Non-slip **traction pad** • **Steel tow ring**
- Convenient **deck handle** to easily pick up and carry the SUP • Weight capacity: **90 kg (198 Lb.)**
- Passengers: **1 adult** • **Full color box** • 1 Ea., **17.3 kg (38.1 Lb.)** • Case volume: **0.13 m³**

Package includes: - **Air Hammer™ inflation pump** - **Aluminum oar** that can be used for kayaking or surfing. (2.21 m, 87") - **Repair kit** - **Travel bag** - **Pressure gauge** - **Kayak seat with back rest**

65067



White Cap SUP

- 3.05 m x 81 cm x 10 cm (10' x 32" x 4") • Three modeled fins for directional stability • Drop stitch material provides unparalleled strength and durability • Durable double-wall • Quick inflation/deflation air valve • Non-slip traction pad • Steel tow ring • Convenient deck handle to easily pick up and carry the SUP • Weight capacity: 95 kg (209 Lb.) • Passengers: 1 adult • Full color box • 1 Ea., 16.0 kg (35.4 Lb.) • Case volume: 0.13 m³

Package includes: - Air Hammer™ inflation pump - Aluminum oar that can be used for surfing. (2.15 m, 85") - Repair kit - Travel bag - Pressure gauge

65070



New



White Cap SUP & Kayak

- 3.05 m x 81 cm x 10 cm (10' x 32" x 4") • Used as SUP or kayak • Three modeled fins for directional stability • Drop stitch material provides unparalleled strength and durability • Durable double-wall • Quick inflation/deflation air valve • Non-slip traction pad • Steel tow ring • Convenient deck handle to easily pick up and carry the SUP • Weight capacity: 95 kg (209 Lb.) • Passengers: 1 adult • Full color box • 1 Ea., 17.4 kg (38.4 Lb.) • Case volume: 0.13 m³

Package includes: - Air Hammer™ inflation pump - Aluminum oar that can be used for surfing. (2.21 m, 87") - Repair kit - Travel bag - Pressure gauge - Kayak seat with back rest

65069



Coast Liner SUP

- 3.20 m x 81 cm x 12 cm (10'6" x 32" x 5") • Three modeled fins for directional stability • Drop stitch material provides unparalleled strength and durability • Durable double-wall • Quick inflation/deflation air valve • Non-slip traction pad • Steel tow ring • Convenient deck handle to easily pick up and carry the SUP • Weight capacity: 120 kg (265 Lb.) • Passengers: 1 adult • Full color box • 1 Ea., 16.6 kg (36.6 Lb.) • Case volume: 0.13 m³

Package includes: - Air Hammer™ inflation pump - Aluminum oar that can be used for surfing. (2.15 m, 85") - Repair kit - Travel bag - Pressure gauge

65072



New



Coast Liner SUP & Kayak

- 3.20 m x 81 cm x 12 cm (10'6" x 32" x 5") • Used as SUP or kayak • Three modeled fins for directional stability • Drop stitch material provides unparalleled strength and durability • Durable double-wall • Quick inflation/deflation air valve • Non-slip traction pad • Steel tow ring • Convenient deck handle to easily pick up and carry the SUP • Weight capacity: 120 kg (265 Lb.) • Passengers: 1 adult • Full color box • 1 Ea., 18.0 kg (39.6 Lb.) • Case volume: 0.13 m³

Package includes: - Air Hammer™ inflation pump - Aluminum oar that can be used for surfing. (2.21 m, 87") - Repair kit - Travel bag - Pressure gauge - Kayak seat with back rest

65071



Oceana SUP

- **3.30 m x 76 cm x 12 cm** (10'10" x 30" x 5") • **Three modeled fins** for directional stability • **Drop stitch material** provides unparalleled strength and durability • **Durable double-wall** • Quick inflation/deflation **air valve** • Non-slip **traction pad** • **Steel tow ring** • Convenient **deck handle** to easily pick up and carry the SUP • **Weight capacity: 115 kg (254 Lb.)** • **Passengers: 1 adult**
- **Full color box** • 1 Ea., **16.6 kg** (36.6 Lb.) • **Case volume: 0.13 m³**

Package includes: - **Air Hammer™ inflation pump** - **Aluminum oar** that can be used for surfing. (2.15 m, 85") - **Repair kit** - **Travel bag** - **Pressure gauge**

65074



Oceana SUP & Kayak

- **3.30 m x 76 cm x 12 cm** (10'10" x 30" x 5") • Used as **SUP** or **kayak** • **Three modeled fins** for directional stability • **Drop stitch material** provides unparalleled strength and durability • **Durable double-wall** • Quick inflation/deflation **air valve** • Non-slip **traction pad** • **Steel tow ring**
- Convenient **deck handle** to easily pick up and carry the SUP • **Weight capacity: 115 kg (254 Lb.)**
- **Passengers: 1 adult** • **Full color box** • 1 Ea., **18.0 kg** (39.6 Lb.) • **Case volume: 0.13 m³**

Package includes: - **Air Hammer™ inflation pump** - **Aluminum oar** that can be used for surfing. (2.21 m, 87") - **Repair kit** - **Travel bag** - **Pressure gauge** - **Kayak seat with back rest**

65073



New



New



Long Tail SUP

- **3.35 m x 76 cm x 15 cm** (11' x 30" x 6") • **Three modeled fins** for directional stability • **Drop stitch material** provides unparalleled strength and durability • **Durable double-wall** • Quick inflation/deflation **air valve** • Non-slip **traction pad** • **Steel tow ring** • Convenient **deck handle** to easily pick up and carry the SUP • **Weight capacity: 145 kg (320 Lb.)** • **Passengers: 1 adult**
- **Full color box** • 1 Ea., **18.1kg** (39.9 Lb.) • **Case volume: 0.13 m³**

Package includes: - **Air Hammer™ inflation pump** - **Aluminum oar** that can be used for surfing. (2.15 m, 85") - **Repair kit** - **Travel bag** - **Pressure gauge**

65076



Long Tail SUP & Kayak

- **3.35 m x 76 cm x 15 cm** (11' x 30" x 6") • Used as **SUP** or **kayak** • **Three modeled fins** for directional stability • **Drop stitch material** provides unparalleled strength and durability • **Durable double-wall** • Quick inflation/deflation **air valve** • Non-slip **traction pad** • **Steel tow ring**
- Convenient **deck handle** to easily pick up and carry the SUP • **Weight capacity: 145 kg (320 Lb.)**
- **Passengers: 1 adult** • **Full color box** • **19.5kg** (42.9 Lb.) • **Case volume: 0.13 m³**

Package includes: - **Air Hammer™ inflation pump** - **Aluminum oar** that can be used for surfing. (2.21 m, 87") - **Repair kit** - **Travel bag** - **Pressure gauge** - **Kayak seat with back rest**

65075



KAYAK SET / HYDRO-FORCE™



65019

- Quick inflation/deflation screw valves
- Form-fitted construction prevents water from entering the cockpit
- Includes a 2.18 m (86") aluminum, two bladed oar
- Passengers: 1 adult
- Heavy-duty repair patch
- Full color box
- 1 Ea., 9.1 kg (20.1 Lb.)

65020

- Quick inflation/deflation screw valves
- Form-fitted construction prevents water from entering the cockpit
- Includes two 2.18 m (86") aluminum, two-bladed oars
- Passengers: 1 adult + 1 child
- Heavy-duty repair patch
- Full color box
- 1 Ea., 13.1 kg (28.9 Lb.)



ITEM NO.	INFLATED SIZE	DEFLATED SIZE	MATERIAL Ga. (mm)	CAPACITY (person)	OARS (units)	CASE PACK (cbm/pkg)	SEATS	MAX. LOAD (lb/kg)
65019	2.80m x 75cm 110" x 30"	2.86m x 1.08m 113" x 43"	22/16 0.55/0.40	1	2.18m (86") one	0.04/1PCS	1	220/100
65020	3.57m x 77cm 141" x 30"	3.68m x 1.08m 145" x 43"	22/16 0.55/0.40	2	2.18m (86") two	0.05/1PCS	2	350/160




KAYAK / HYDRO-FORCE™



65061

- Quick inflation/deflation **air valves** • **Removable fin** for directional stability
- Extra strength, **3-ply reinforced vinyl** • **Two adjustable seats** with storage compartments • Integrated **drain valve**
- Includes **two 2.18 m (86") aluminum two-bladed oars** and one **37 cm (14.5") Air Hammer™ inflation pump**
- Passengers: **2 adults** • **Heavy-duty repair patch** • **Full color box** • 1 Ea., **18.4 kg (40.5 Lb.)**



ITEM NO.	SIZE	MATERIAL Ga.(mm)	CAPACITY (person)	OARS (units)	PUMP	CASE PACK (cbm/pkg)	SEATS	MAX. LOAD (lb/kg)
65061	3.85m x 93cm 152" x 37"	29.2 0.73		2.18m (86") two	37cm 14.5"	0.11/1PCS	2	374 170



170KG
374LB



Durable Carrying Bag

PACKAGE INCLUDES

Air Hammer™ Inflation Pump

VENTURA / HYDRO-FORCE™



65052

- **Two removable side chambers & I-beam floor** made from heavy gauge PVC
- **Premium coated nylon hull** that is resistant to sun, oil and sea water
- **Integrated drain valve**
- **Removable fin** for directional stability
- **3 air chambers** construction
- Includes **two 2.18 m (86") aluminum two-bladed oars** and **one 37 cm (14.5") Air Hammer™ inflation pump (62086)**
- **Passengers: 2 adults**
- **Heavy-duty repair patch**
- **Full color box**
- **1 Ea., 17.4 kg (38.3 Lb.)**



ITEM NO.	SIZE	MATERIAL Ga.(mm)	CAPACITY (person)	OARS (units)	PUMP	CASE PACK (cbm/pkg)	SEATS	MAX. LOAD (lb/kg)
65052	3.30m x 94cm 130" x 37"	24/16 0.6/0.4		2.18m (86") two	37cm 14.5"	0.11/1PCS	2	440 200

Improved



PACKAGE INCLUDES

Air Hammer™ Inflation Pump (62086)




RX-SERIES / HYDRO-FORCE™



- Quick inflation/deflation screw valves
- 3 air chambers construction
- All around grab rope with built-in grommets
- Inflatable floor for extra comfort
- Sturdy oarlocks
- Tow ring
- Heavy-duty repair patch
- Full color box



ITEM NO.	NAME	INFLATED SIZE	DEFLATED SIZE	MATERIAL Ga. (mm)	CAPACITY (person)	OARS	PUMP	CASE PACK (cbm/pkg)	Kg (Lb.)	MAX. LOAD (lb/kg)
61106	RX-2000 Raft	1.45m x 87cm 57" x 34"	1.53m x 97cm 60" x 38"	12.0 (0.30)	1			0.05/6PCS	11.4 (25.1)	178 (80)
61103	RX-3000 Raft	1.86m x 1.00m 73" x 39"	1.97m x 1.15m 77" x 45"	14.0 (0.35)	2			0.05/4PCS	12.9 (28.5)	264 (120)
61104	RX-4000 Raft	2.23m x 1.10m 88" x 43"	2.34m x 1.35m 92" x 53"	16.8 (0.42)	3			0.06/3PCS	15.4 (34.0)	418 (190)
61105	RX-5000 Raft	2.50m x 1.18m 98" x 46"	2.62m x 1.45m 103" x 57"	18.8 (0.47)	4			0.05/2PCS	13.0 (28.6)	495 (225)
61107	RX-4000 Raft Set	2.23m x 1.10m 88" x 43"	2.34m x 1.35m 92" x 53"	16.8 (0.42)	3	✓	✓	0.07/2PCS	12.3 (27.1)	418 (190)



PACKAGE INCLUDES

Inflation Pump (62002)




RAFT / HYDRO-FORCE™



- 3 air chambers construction
- Quick inflation/deflation screw valves
- All around grab rope with built-in grommets
- Inflatable floor for extra comfort
- Inflatable seat cushions {For 61065EU 61066EU 61068EU}
- Includes motor mount grommets for use with Bestway motor mount (62069) and motors (65043 65045). (Motor and motor mount not included.) {For 61065EU 61066EU 61068EU}
- Heavy-duty handle {Except 61063EU}
- Oar clasps {Except 61063EU}
- Tow ring
- Includes one pair of 1.24 m (49") oars (62019) and one 23 cm x 15 cm (9" x 6") foot pump (62023) {For 61083EU 61068EU}
- Max. power: 1.0 kw (1.4 hp) {For 61065EU 61066EU 61068EU}
- Heavy-duty repair patch
- Full color box




ITEM NO.	NAME	INFLATED SIZE	DEFLATED SIZE	MATERIAL Ga.(mm)	CAPACITY (person)	OARS	PUMP	CASE PACK (cbm/pkg)	Kg (Lb.)	MAX. LOAD (lb/kg)
61063EU	Hydro-Force™ Raft	1.94m x 1.10m 76" x 43"	1.98m x 1.22m 78" x 48"	14.8 (0.37)	2			0.05/4PCS	13.5 (29.7)	264 (120)
61064EU	Hydro-Force™ Raft	2.28m x 1.21m 90" x 48"	2.34m x 1.35m 92" x 53"	16.8 (0.42)	3			0.06/3PCS	15.5 (34.2)	418 (190)
61065EU	Hydro-Force™ Raft	2.55m x 1.27m 100" x 50"	2.62m x 1.45m 103" x 57"	18.8 (0.47)	3			0.05/2PCS	15.8 (34.9)	495 (225)
61066EU	Hydro-Force™ Raft	3.07m x 1.26m 121" x 50"	3.18m x 1.52m 125" x 60"	20.8 (0.52)	4			0.04/1PCS	10.4 (22.9)	594 (270)
61083EU	Hydro-Force Raft™ Set	2.28m x 1.21m 90" x 48"	2.34m x 1.35m 92" x 53"	16.8 (0.42)	3	✓	✓	0.07/2PCS	12.7 (28.0)	418 (190)
61068EU	Hydro-Force Raft™ Set	2.55m x 1.27m 100" x 50"	2.62m x 1.45m 103" x 57"	18.8 (0.47)	3	✓	✓	0.08/2PCS	18.0 (39.6)	495 (225)



PACKAGE INCLUDES

Foot Pump (62023)
{For 61083EU 61068EU}



65043 / 65045


62069

RAFT X2 / HYDRO-FORCE™



- 3 air chambers construction • Quick inflation/deflation screw valves • All around grab rope with built-in grommets • Inflatable floor for extra comfort • Sturdy oarlocks • Tow ring • Max. Power: 1.0 kw (1.4 hp) • Heavy-duty repair patch • Full color box

ITEM NO.	NAME	INFLATED SIZE	DEFLATED SIZE	MATERIAL Ga.(mm)	CAPACITY (person)	CASE PACK (cbm/pkg)	Kg (Lb.)	MAX. LOAD (lb/kg)
65060	Hydro-Force™ Raft X2	2.55m x 1.10m 100" x 43"	2.64m x 1.23m 104" x 48"	20.0 (0.50)		0.05/2PCS	13.8 (30.5)	418 (190)



VOYAGER / HYDRO-FORCE™



- Quick inflation/deflation screw valves • All around grab rope with built-in grommets • Inflatable floor for extra comfort • Oars not included • Heavy-duty repair patch • Full color box

ITEM NO.	NAME	INFLATED SIZE	DEFLATED SIZE	MATERIAL Ga.(mm)	CAPACITY (person)	CASE PACK (cbm/pkg)	Kg (Lb.)	MAX. LOAD (lb/kg)
65008	Neva III	3.16m x 1.24m 124" x 49"	3.30m x 1.30m 130" x 52"	20.0 (0.50)		0.07/1PCS	13.3 (29.4)	661 (300)




VOYAGER / HYDRO-FORCE™



- Quick inflation/deflation **screw valves** • **3 air chambers** construction • All around **grab rope with built-in grommets** • **Inflatable I-beam floor** for comfort and rigidity • **Tow ring** • Includes **one pair of 1.24 m (49") oars** (62019) • **Heavy-duty repair patch** • **Full color box**

ITEM NO.	NAME	INFLATED SIZE	DEFLATED SIZE	MATERIAL Ga.(mm)	CAPACITY (person)	CASE PACK (cbm/pkg)	Kg (Lb.)	MAX. LOAD (lb/kg)
65051	Voyager 300	2.43m x 1.02m 96" x 40"	2.55m x 1.17m 100" x 46"	16.8 (0.42)		0.08/2PCS	14.0 (30.9)	418 (190)



2 & 1

190KG
418LB



VOYAGER / HYDRO-FORCE™



- Quick inflation/deflation **screw valves** • All around **grab rope with built-in grommets** • Convenient and practical **storage bags** with many functions • **Inflatable floor** for extra comfort • Includes **motor mount grommets** for use with Bestway motor mount (62069) and motors (65043 65045). (Motor and motor mount not included.) • **Integrated fishing rod holders** • **Tow ring** • Includes **two 1.45 m (57") sectional aluminum oars** (62064) • **Max. power: 1.0 kw (1.4 hp)** • **Heavy-duty repair patch** • **Full color box**

ITEM NO.	NAME	INFLATED SIZE	DEFLATED SIZE	MATERIAL Ga.(mm)	CAPACITY (person)	OARS	CASE PACK (cbm/pkg)	Kg (Lb.)	MAX. LOAD (lb/kg)
65001	Voyager 500	3.48m x 1.42m 137" x 56"	3.61m x 1.65m 142" x 65"	22.0 (0.55)			0.08/1PCS	15.4 (34.0)	557.1(252.7)



CE

3

252.7KG
557.1LB

1.4HP
1.0KW




VOYAGER / HYDRO-FORCE™



65056

- Extra strength, **3-ply reinforced vinyl** • Quick inflation/deflation **screw valves** • Includes **motor mount grommets** for use with Bestway motor mount (62069) and motors (65043 65045). (Motor and motor mount not included.) • **Max. Power:** 1.0 kw (1.4 hp) • **Passengers:** **2 adults + 1 child** • Package also includes: - **Heavy-duty repair patch** - **Storage bag** • **Full color box** • 1 Ea., 15.0 kg (33.1 Lb.)

2.91m x 1.27m x 46cm (115" x 50" x 18")



ITEM NO.	SIZE	MATERIAL Ga.(mm)	CAPACITY (person)	OARS (units)	PUMP	CASE PACK (cbm/pkg)	SEATS	MAX. LOAD (lb/kg)
65056	2.91m x 1.27m x 46cm 115" x 50" x 18"	26 0.65		1.52m (60") one pair	37cm 14.5"	0.09/1PCS	2	594 270



New

PRODUCT HIGHLIGHTS




High-pressure inflatable floor



TRITECH™ MATERIAL

TriTech™, a 3-ply reinforced material with a polyester mesh-core encased in two layers of laminated PVC that offers superior strength and durability. This premium marine grade material can withstand the most extreme nautical conditions including exposure to petroleum products and ultraviolet rays.



PACKAGE INCLUDES

- Air Hammer™ inflation pump (62086)
- Aluminum oars that can be taken apart for convenient storage and transport



MARINE PRO / HYDRO-FORCE™




65044

- Extra strength, **3-ply reinforced vinyl** • Quick inflation/deflation **screw valves** • High-pressure **inflatable floor**
- Includes **motor mount grommets** for use with Bestway motor mount (62069) and motors (65043 65045). (Motor and motor mount not included.) • **Max. Power:** 1.0 kw (1.4 hp) • **Passengers:** 2 adults + 1 child • Package also includes:
 - **Heavy-duty repair patch** - **Storage bag** • **Full color box** • 1 Ea., 15.0 kg (33.1 Lb.)

2.91m x 1.27m x 46cm (115" x 50" x 18")



ITEM NO.	SIZE	MATERIAL Ga.(mm)	CAPACITY (person)	OARS (units)	PUMP	CASE PACK (cbm/pkg)	SEATS	MAX. LOAD (lb/kg)
65044	2.91m x 1.27m x 46cm 115" x 50" x 18"	26 0.65		1.52m (60") one pair	37cm 14.5"	0.09/1PCS	2	594 270



PRODUCT HIGHLIGHTS




High-pressure inflatable floor



TRITECH™ MATERIAL

TriTech™, a 3-ply reinforced material with a polyester mesh-core encased in two layers of laminated PVC that offers superior strength and durability. This premium marine grade material can withstand the most extreme nautical conditions including exposure to petroleum products and ultraviolet rays.



PACKAGE INCLUDES

- Air Hammer™ inflation pump (62086)
- Aluminum oars that can be taken apart for convenient storage and transport



CASPIAN / HYDRO-FORCE™




65046

- Pre-tested materials and quality-tested construction • Superior-strength, high-density, sunlight resistant, terylene supported PVC • Metal steel tow ring • Quick inflation/deflation air valves • Max. Power: 2.25 kw (3 hp) • Passengers: 2 adults
- Package also includes: - 10 m (33') towrope - Repair kit - Pressure gauge • Shelf box w/picture • 1 Ea., 25.0 kg (55.1 Lb.)

2.30m x 1.30m x 33cm (91" x 51" x 13")



ITEM NO.	SIZE	MATERIAL Ga.(mm)	CAPACITY (person)	OARS (units)	PUMP	CASE PACK (cbm/pkg)	SEATS	MAX. LOAD (lb/kg)
65046	2.30m x 1.30m x 33cm 91" x 51" x 13"	28 0.7		1.45m (57") one pair	37cm 14.5"	0.17/1PCS	1	568.8 258




PRODUCT HIGHLIGHTS



Marine-grade plywood floorboards, durable and comfortable

TRITECH™ MATERIAL

TriTech™, a 3-ply reinforced material with a polyester mesh-core encased in two layers of laminated PVC that offers superior strength and durability. This premium marine grade material can withstand the most extreme nautical conditions including exposure to petroleum products and ultraviolet rays.



PACKAGE INCLUDES

- Air Hammer™ inflation pump
- Aluminum oars that can be taken apart for convenient storage and transport



NAV RAPIDS / HYDRO-FORCE™




65064

- Pre-tested materials and quality-tested construction • Superior-strength, high-density, sunlight resistant, terylene supported PVC
- 3-air-chamber construction • Quick inflation/deflation air valves • Extra tough strake protects against impacts and friction
- Molded motor mount (Motor not included; Max. Power: 3.7 kw / 5 hp) • Light and easy to roll-up plywood floorboards
- Passengers: 3 adults • Package also includes: - 10 m (33') towrope - Repair kit • Shelf box w/picture • 1 Ea., 30.5 kg (67.2 Lb.)

2.70m x 1.37m x 37cm (106" x 54" x 15")



ITEM NO.	SIZE	MATERIAL Ga.(mm)	CAPACITY (person)	OARS (units)	PUMP	CASE PACK (cbm/pkg)	SEATS	MAX. LOAD (lb/kg)
65064	2.70m x 1.37m x 37cm 106" x 54" x 15"	28 0.7		1.62m 64"	37cm 14.5"	0.19/1PCS	1	837 380




PRODUCT HIGHLIGHTS

- 3
- 380KG
837LB
- 5HP
3.7KW
- TRITECH™ MATERIAL
- SIDE GRIPS
- STEEL HOOK

Marine-grade plywood floorboards, durable and comfortable

TRITECH™ MATERIAL

TriTech™, a 3-ply reinforced material with a polyester mesh-core encased in two layers of laminated PVC that offers superior strength and durability. This premium marine grade material can withstand the most extreme nautical conditions including exposure to petroleum products and ultraviolet rays.



PACKAGE INCLUDES

- Air Hammer™ inflation pump
- Aluminum oars that can be taken apart for convenient storage and transport



CASPIAN PRO / HYDRO-FORCE™




65047

- **Pre-tested materials and quality-tested construction** • Superior-strength, high-density, sunlight resistant, **terylene supported PVC**
- **Metal steel tow ring** • **Quick inflation/deflation air valves** • Easy to assemble **floorboards and bench seats** – no tools needed
- **Max. Power:** 7.5 kw (10 hp) • **Passengers:** 3 adults + 1 child • Package also includes: - 10 m (33') towrope - **Durable carrying bag** - **Repair kit** - **Pressure gauge** • **Shelf box w/picture** • 1 Ea., 47.4 kg (104.5 Lb.)

2.80m x 1.52m x 42cm (110" x 60" x 16.5")



ITEM NO.	SIZE	MATERIAL Ga.(mm)	CAPACITY (person)	OARS (units)	PUMP	CASE PACK (cbm/pkg)	SEATS	MAX. LOAD (lb/kg)
65047	2.80m x 1.52m x 42cm 110" x 60" x 16.5"	34 0.85		1.62m (64") one pair	37cm 14.5"	0.26/1PCS	1	1058.2 480




PRODUCT HIGHLIGHTS



Marine-grade plywood floorboards, durable and comfortable - Easy to assemble (No Tools Needed)


TRITECH™ MATERIAL

TriTech™, a 3-ply reinforced material with a polyester mesh-core encased in two layers of laminated PVC that offers superior strength and durability. This premium marine grade material can withstand the most extreme nautical conditions including exposure to petroleum products and ultraviolet rays.




PACKAGE INCLUDES

- Air Hammer™ inflation pump
- Aluminum oars that can be taken apart for convenient storage and transport



WATER RESISTANT KEEL



MIROVIA / HYDRO-FORCE™




65063

- **Pre-tested materials and quality-tested construction** • Superior-strength, high-density, sunlight resistant, **terylene supported PVC**
- **5-air-chamber** construction with **high-pressure inflatable keel** • Metal steel **tow ring** • Quick inflation/deflation **air valves**
- **Extra tough strake** protects against impacts and friction • **Molded motor mount** (Motor not included; Max. Power: 11.2 kw/15 hp)
- Easy to assemble **bench seats** – no tools needed • Passengers: **4 adults + 1 child** • Package also includes: - **10 m (33')** towrope
- **Durable carrying bag** - **Fixed buckle for oil box** - **Repair kit** - **Pressure gauge** • **Shelf box w/picture** • 1 Ea., **51.3 kg (113.1 Lb.)**

3.30m x 1.62m x 44cm (130" x 64" x 17")



ITEM NO.	SIZE	MATERIAL Ga.(mm)	CAPACITY (person)	OARS (units)	PUMP	CASE PACK (cbm/pkg)	SEATS	MAX. LOAD (lb/kg)
65063	3.30m x 1.62m x 44cm 130" x 64" x 17"	36 0.9	4 + 1	1.62m (64") one pair	37cm 14.5"	0.28/1PCS	2	1411 640



New

PRODUCT HIGHLIGHTS

- 4 & 1
- 640KG 1411LB
- 15HP 11.2KW
- TRITECH™ MATERIAL
- SIDE GRIPS
- STEEL HOOK

Inflated floor made from drop stitch material providing unparalleled strength and durability - Easy to assemble (No Tools Needed)


TRITECH™ MATERIAL

TriTech™, a 3-ply reinforced material with a polyester mesh-core encased in two layers of laminated PVC that offers superior strength and durability. This premium marine grade material can withstand the most extreme nautical conditions including exposure to petroleum products and ultraviolet rays.

PACKAGE INCLUDES

- Air Hammer™ inflation pump
- Aluminum oars that can be taken apart for convenient storage and transport

WATER RESISTANT KEEL



MIROVIA / HYDRO-FORCE™




65048

- Pre-tested materials and quality-tested construction
- Superior-strength, high-density, sunlight resistant, terylene supported PVC
- Metal steel tow ring
- Quick inflation/deflation air valves
- Easy to assemble floorboards and bench seats – no tools needed
- Max. Power: 11.2 kw (15 hp)
- Passengers: 4 adults + 1 child
- Package also includes: - 10 m (33') towrope - Durable carrying bag - Fixed buckle for oil box - Repair kit - Pressure gauge
- Shelf box w/picture
- 1 Ea., 65.5 kg (144.4 Lb.)

3.30m x 1.62m x 44cm (130" x 64" x 17")



ITEM NO.	SIZE	MATERIAL Ga.(mm)	CAPACITY (person)	OARS (units)	PUMP	CASE PACK (cbm/pkg)	SEATS	MAX. LOAD (lb/kg)
65048	3.30m x 1.62m x 44cm 130" x 64" x 17"	36 0.9	4 + 1	1.62m (64") one pair	37cm 14.5"	0.31/1PCS	2	1411 640




PRODUCT HIGHLIGHTS



Marine-grade plywood floorboards, durable and comfortable - Easy to assemble (No Tools Needed)

TRITECH™ MATERIAL

TriTech™, a 3-ply reinforced material with a polyester mesh-core encased in two layers of laminated PVC that offers superior strength and durability. This premium marine grade material can withstand the most extreme nautical conditions including exposure to petroleum products and ultraviolet rays.



PACKAGE INCLUDES

- Air Hammer™ inflation pump
- Aluminum oars that can be taken apart for convenient storage and transport



WATER RESISTANT KEEL



MIROVIA PRO / HYDRO-FORCE™




65049

- Pre-tested materials and quality-tested construction • Superior-strength, high-density, sunlight resistant, terylene supported PVC
- Marine-grade aluminum alloy floorboards and plywood transom • Metal steel tow ring • Quick inflation/deflation air valves • Easy to assemble floorboards and bench seats – no tools needed • Max. Power: 11.2 kw (15hp) • Passengers: 4 adults + 1 child • Package also includes: - 10 m (33') towrope - Durable carrying bag - Fixed buckle for oil box - Pressure gauge - Repair kit • Shelf box w/picture
- 1 Ea., 66.5 kg (146.6 Lb.)

3.30m x 1.62m x 44cm (130" x 64" x 17")



ITEM NO.	SIZE	MATERIAL Ga.(mm)	CAPACITY (person)	OARS (units)	PUMP	CASE PACK (cbm/pkg)	SEATS	MAX. LOAD (lb/kg)
65049	3.30m x 1.62m x 44cm 130" x 64" x 17"	36 0.9	4 + 1	1.62m (64") one pair	37cm 14.5"	0.31/1PCS	2	1411 640




PRODUCT HIGHLIGHTS



Marine-grade aluminum alloy floorboards - Easy to assemble (No Tools Needed)

TRITECH™ MATERIAL

TriTech™, a 3-ply reinforced material with a polyester mesh-core encased in two layers of laminated PVC that offers superior strength and durability. This premium marine grade material can withstand the most extreme nautical conditions including exposure to petroleum products and ultraviolet rays.




PACKAGE INCLUDES

- Air Hammer™ inflation pump
- Aluminum oars that can be taken apart for convenient storage and transport



WATER RESISTANT KEEL



SUNSAILLE / HYDRO-FORCE™



65062

- Pre-tested materials and quality-tested construction • Superior-strength, high-density, sunlight resistant, terylene supported PVC • Marine-grade plywood transom • Metal steel tow ring • Quick inflation/deflation air valves
- Molded motor mount (Motor not included; Max. Power: 18.4 kw /25 hp) • Easy to assemble bench seats – no tools needed
- Passengers: 6 adults • Package also includes: - 10 m (33') towrope - Durable carrying bag - Fixed buckle for oil box - Repair kit - Pressure gauge • Shelf box w/picture • 1 Ea., 80.0 kg (176.4 Lb.)

3.80m x 1.80m x 46cm (150" x 71" x 18")



ITEM NO.	SIZE	MATERIAL Ga.(mm)	CAPACITY (person)	OARS (units)	PUMP	CASE PACK (cbm/pkg)	SEATS	MAX. LOAD (lb/kg)
65062	3.80m x 1.80m x 46cm 150" x 71" x 18"	36 0.9		1.62m (64") one pair	37cm 14.5"	0.37/1PCS	2	1719.6 780



New


PRODUCT HIGHLIGHTS

- 6
- 780KG
1719.6LB
- 25HP
18.4KW
- TRITECH™ MATERIAL
- SIDE GRIPS
- STEEL HOOK

Inflated floor made from drop stitch material providing unparalleled strength and durability - Easy to assemble (No Tools Needed)


TRITECH™ MATERIAL

TriTech™, a 3-ply reinforced material with a polyester mesh-core encased in two layers of laminated PVC that offers superior strength and durability. This premium marine grade material can withstand the most extreme nautical conditions including exposure to petroleum products and ultraviolet rays.



PACKAGE INCLUDES

- Air Hammer™ inflation pump
- Aluminum oars that can be taken apart for convenient storage and transport



WATER RESISTANT KEEL






65050

- Pre-tested materials and quality-tested construction • Superior-strength, high-density, sunlight resistant, terylene supported PVC • Marine-grade aluminum alloy floorboards and plywood transom • Metal steel tow ring
- Quick inflation/deflation air valves • Easy to assemble floorboards and bench seats - no tools needed • Max. Power: 22.5 kw (30 hp) • Passengers: 6 adults • Package also includes: - 10 m (33') towrope - Durable carrying bag - Fixed buckle for oil box - Repair kit - Pressure gauge • Shelf box w/picture • 1 Ea., 86.0 kg (189.6 Lb.)

3.80m x 1.80m x 46cm (150" x 71" x 18")




ITEM NO.	SIZE	MATERIAL Ga.(mm)	CAPACITY (person)	OARS (units)	PUMP	CASE PACK (cbm/pkg)	SEATS	MAX. LOAD (lb/kg)
65050	3.80m x 1.80m x 46cm 150" x 71" x 18"	36 0.9		1.62m (64") one pair	37cm 14.5"	0.43/1PCS	2	1719.6 780




TRITECH™ MATERIAL

TriTech™, a 3-ply reinforced material with a polyester mesh-core encased in two layers of laminated PVC that offers superior strength and durability. This premium marine grade material can withstand the most extreme nautical conditions including exposure to petroleum products and ultraviolet rays.



PACKAGE INCLUDES

- Air Hammer™ inflation pump
- Aluminum oars that can be taken apart for convenient storage and transport



WATER RESISTANT KEEL



PRODUCT HIGHLIGHTS



Marine-grade aluminum alloy floorboards - Easy to assemble (No Tools Needed)



62069

Motor Mount / HYDRO-FORCE™

- Attaches to most inflatable boats
- Supports a motor
- Easy assembly
- Adjustable stainless steel tube
- Fits up to 3.0 hp gas outboard motor
- Suitable for electrical outboard motor
- Full color box
- 4 Ea., 11.5 kg (25.4 Lb.)



Item No.	Description	Gas Outboard Motor	Electric Outboard Motor	Max. Power
65001	Voyager 500	×	√	1.0 kw (1.4 hp)
65044	Hydro-Force™ Raft Set	×	√	1.0 kw (1.4 hp)
65056	Voyager 1000 Raft	×	√	1.0 kw (1.4 hp)
65060	Hydro-Force™ Raft X2	×	√	1.0 kw (1.4 hp)
61065	Hydro-Force™ Raft	×	√	1.0 kw (1.4 hp)
61066		×	√	1.0 kw (1.4 hp)
61068	Hydro-Force™ Raft Set	×	√	1.0 kw (1.4 hp)



65043

65045

Boat Motors / HYDRO-FORCE™

ITEM	65043	65045
Name	Hydro-Force™ Motor	
Thrust (N)	142.4	245
Thrust (lbs.)	32	55
Voltage (V)	12	12
Power (W)	312	624
Power (HP)	0.42	0.85
Handle Length (mm)	195/310	195/310
Handle Length (in)	7.68/12.2	7.68/12.2
Shaft Length (mm)	711.2	914
Shaft Length (in)	28	36
Propeller Blade	2	2
Motor Type	Brush Motor	Brush Motor
Speed	5 forward, 3 reverse	5 forward, 3 reverse
Gross Weight (kg)	9.0	11.6
Gross Weight (lbs.)	19.84	25.57
Battery Meter	Voltage Meter can warn the user when the voltage is low. Battery not included.	



Works with 12V, 4.5Ah Pd-acid Battery